

Combating COVID-19 in Mozambique: Round 1 Appendix

Principal investigators: Arlete Mahumane, James Riddell IV, Tanya Rosenblat, and Dean Yang.

Study team: James Allen IV, Patricia Freitag, Faustino Lessitala, and Hang Yu.

Overview: Our COVID-19 Response Survey collected data in seven districts in Mozambique during the period from July 10 to August 16, 2020. The distribution of respondents by district and province is presented on page 2 below. Our study population consists of a subset of households with phone numbers who are participating in an ongoing impact evaluation FCC (*Força à Comunidade e Crianças*) randomized controlled trial in Mozambique. The surveys were completed by a team of 24 enumerators employed by Lessitala Consultoria e Servicos, headed by Faustino Lessitala, under contract to the University of Michigan. Each respondent was asked a set of questions on general knowledge (i.e, risk factors, transmission, symptoms), preventative actions, and government actions. Our full sample size is 2,415 households. To reduce survey time for each respondent some questions were randomly assigned to no less than a quarter of survey respondents. Therefore, sample sizes for individual questions range from approximately one-fourth of the households to the full sample size of 2,415 households.

This project is funded by the Abdul Latif Jameel Poverty Action Lab ([*J-PAL* Innovation in Government Initiative](#)) through a grant from The Effective Altruism Global Health and Development Fund, the UK Foreign, Commonwealth & Development Office awarded through [*Innovations for Poverty Action's Peace & Recovery Program*](#), the Michigan Institute for Teaching and Research in Economics (MITRE) Ulmer Fund, and the National Institute on Aging of the National Institutes of Health.

The study was submitted to the American Economic Association's RCT Registry on March 8, 2019, registration ID number AEARCTR-0005862: <https://doi.o/10.1257/rct.5862-1.0>. For more information on the FCC evaluation program, please find our registered report [here](#).

Suggested Citation: Allen IV, James, Patricia Freitag, Faustino Lessitala, Arlete Mahumane, James Riddell IV, Tanya Rosenblat, Dean Yang, and Hang Yu. 2020. "Combating COVID-19 in Mozambique: Round 1 Summary Report." Ann Arbor, MI: University of Michigan.

Distribution of Respondents by District and Province:

District:

District	Frequency	Percentage (%)	Cum. (%)
Chimoio	605	25.05	25.05
Dondo	374	15.49	40.54
Gondola	248	10.27	50.81
Manica	334	13.83	64.64
Namacurra	276	11.43	76.07
Nhamatanda	238	9.86	85.92
Nicoadala	340	14.08	100
Total:	2415	100	

Province:

Province	Frequency	Percentage (%)	Cum. (%)
Manica	1187	49.15	49.15
Sofala	612	25.34	74.49
Zambezia	616	25.51	100
Total:	2415	100	

Survey Instrument

COVID-19 Response Survey:

Knowledge, Beliefs and Behaviors:

1. Have you ever heard of the new coronavirus disease called COVID-19? Yes or No

Let me help remind you. A new type of coronavirus is currently spreading quickly around the world. When infected with this new coronavirus, it causes a disease called COVID-19.

2. WHO_5: Where did you hear about the new coronavirus from? For each source, say “YES” if you heard about the new coronavirus from the source, and “NO” if not.

- 2.1. Radio
- 2.2. TV
- 2.3. ATM screen messages
- 2.4. Vodacom, TMCEL or Movitel SMS messages
- 2.5. WhatsApp
- 2.6. Facebook or Facebook Messenger
- 2.7. family members
- 2.8. friends
- 2.9. health workers
- 2.10. community nonprofit/NGO
- 2.11. community leaders
- 2.12. religious leaders
- 2.13. traditional healers or midwives
- 2.14. other: _____

3. WHO_6_modified: Of those sources you selected, which do you trust the most to receive information related to coronavirus? Select one response.

I am now going to ask you some questions about coronavirus and COVID-19. Please answer to the best of your ability. Answers are confidential. We will provide you with information at the end of the survey.

4. WHO_8_modified: Who do you think is more likely to die from a coronavirus infection?¹ I am going to make statements comparing different types of people. Tell me who you think is more likely to die, or say “same” if you think there is no difference.
 - 4.1. A healthy 30-year-old adult or a healthy 5-year-old child? (first)
 - 4.2. A healthy 30-year-old adult or a healthy 60-year-old adult? (second)
 - 4.3. A grandparent or their grandchild (first)
 - 4.4. An adult who does not smoke or an adult who does smoke? (second)
 - 4.5. A healthy farmer or a healthy health worker? (second)
 - 4.6. A healthy black adult or a healthy white adult? (same)

¹ Surveys before July 15th were asked this question: Who do you think is more likely to get sick from coronavirus? I am going to make statements comparing different types of people. Tell me who you think is more likely to get sick, or say “same” if you think there is no difference

5. WHO_10_modified: How is coronavirus spread? I am going to list possible ways that different viruses spread. For each option, say “YES” if you think this is true of coronavirus and say “NO” if you think this is NOT true of coronavirus.
 - 5.1. blood transfusion (no)
 - 5.2. droplets from infected people (yes)
 - 5.3. direct contact with infected people (yes)
 - 5.4. touching contaminated objects/surfaces/food (yes)
 - 5.5. sexually transmitted (no)
 - 5.6. mosquito bites (no)
 - 5.7. drinking unclean water (no)
 - 5.8. second-hand clothing (no)

6. WHO_11_modified: What are the main symptoms of coronavirus? I am going to list possible symptoms from different viruses (skip “Don’t Know”). For each option, say “YES” if you think this is true of coronavirus and say “NO” if you think this is NOT true of coronavirus.
 - 6.1. Fever (yes)
 - 6.2. Cough (yes)
 - 6.3. Shortness of breath and breathing difficulties (yes)
 - 6.4. Hearing loss (no)
 - 6.5. Pain with urination (no)
 - 6.6. New loss of taste or smell (yes)
 - 6.7. Blindness (no)

7. We want to ask you about you and your household’s contact with friends and neighbors who are also in our study. (*For piloting purposes – only asked for a maximum of social network contact at baseline and then closest geographic neighbors with a reported telephone number*)
 - 7.1. Please confirm: Do you know anyone from the household of \${contacts_hhead}? Other members include: \${contacts_hhnames}.
 - 7.2. IF YES to (7.1), have you talked to anyone from that household in the last 14 days?
 - 7.3. IF YES to (7.2), did you exchange information about coronavirus?
 - 7.4. IF YES to (7.2), did you exchange information on social distancing or preventative behaviors?
 - 7.5. IF YES to (7.1), have you seen anyone from that household in the last 14 days?
 - 9.7. IF YES to (7.5), did he/she come closer than 1.5 meters to you at any point in the last 14 days?
 - 9.8. IF YES to (7.5), did he/she shake hands, try to shake hands, or otherwise touch you in the last 14 days?
 - 9.6 IF YES to (7.5), did he/she appear to be observing the government’s recommendations on social distancing (avoid large gatherings and keep at least 1.5 meters distance from people outside their household)?²

² Surveys dated before July 15th had the last three questions in this order:

- 9.6 IF YES to (9.5), did he/she appear to be observing the government’s recommendations on social distancing (avoid large gatherings and keep at least 1.5 meters distance from people outside their household)?
- 9.7 IF YES to (9.5), did you stand within 1.5 meters of him/her in the last 14 days?
- 9.8 IF YES to (9.5), did you shake hands or otherwise touch him/her in the last 14 days?

10. To the best of your knowledge, have children under 18 years from your household played with children from other households in the last 14 days? (YES, NO, NO CHILDREN IN HOUSEHOLD)

PREVENTION KNOWLEDGE/BEHAVIOR:

11. For the following statements, tell me if you strongly agree, agree, disagree, strongly disagree or have no opinion:
- 11.1. There are actions you can take to protect yourself from becoming sick with coronavirus or prevent spreading it to others.
 - 11.2. There is nothing I can do to prevent the spread of the disease or protect myself from getting sick.
 - 11.3. It is important to take actions to prevent the spread of coronavirus.
 - 11.4. My neighbors consider it important to take actions to prevent the spread of coronavirus.
10. (Outcome questions on social distancing in general)
- 10.1. Do you support the practice of social distancing to prevent the spread of coronavirus?
 - 10.2. For every 10 households in your community, how many do you think support the practice of social distancing to prevent the spread of coronavirus?
 - 10.3. In the past 14 days, have you been able to observe the government's recommendations on social distancing?
 - 10.4. How confident are you in your last response? (1=Not Confident At All, 2=A Little Confident, 3=Mostly Confident, 4=Completely Confident, -88= did not know previous question, -99= refuse to answer)

We want to collect information on knowledge and behaviors related to coronavirus. I am going to list possible actions. For each action, I will ask the following questions:

- 12. Will this action prevent spreading coronavirus to yourself and others? (YES or NO or DON'T KNOW or NO ANSWER GIVEN)
- 13. How confident are you in your last response? (1=Not Confident At All, 2=A Little Confident, 3=Mostly Confident, 4=Completely Confident, -88= did not know previous question, -99= refuse to answer)
- 14. Is this something your household has been doing for the last seven days? (YES or NO)
- 15. Is this something you think people should be doing? (YES or NO)
- 16. For every 10 households in your community, how many would support this action?

1	T	Cover your mouth and nose when coughing or sneezing
2	T	Keep a distance of at least 1.5 meters from people outside of my household
3	F	Shop in crowded areas like informal markets
4	F	Meet up with friends
5	T	Help the elderly avoid close contact with other people, including children
6	T	Refuse to shake hands if required to greet someone
7	T	Avoid attending social gatherings of any size
8	F	Driving a taxi-mota or taxi-bicycle to carry passengers

9	T	If show symptoms of coronavirus, immediately inform my household and avoid people
10	F	Drinking alcohol in Barracas
11	T	Wear a face covering if showing symptoms of coronavirus
12	T	Instead of meeting in person, call on the phone or send text message
13	F	Allow children to build immunity by playing with children from other households
14	T	Stay in the household area at all times

Household Prevention (HP) Actions

12. Will this action prevent spreading coronavirus to yourself and others? (YES or NO or DON'T KNOW or NO ANSWER GIVEN)
13. If answer YES or NO: How confident are you in your last response? (1=Not Confident At All, 2=A Little Confident, 3=Mostly Confident, 4=Completely Confident)
14. Is this something your household has been doing for the last seven days? (YES or NO).

1	T	Avoid buying food in the road (espetos, roasted corn)
2	F	Take medicine given for a different illness
3	T	Wash your hands regularly using soap and water
4	F	Drinking hot tea
5	T	Open the windows to increase air circulation
6	T	Wear a face covering in public when you are healthy
7	F	Eat foods with lemons or garlic or pepper
8	T	If show symptoms of coronavirus, immediately go to the nearest clinic
9	F	Drink only treated water
10	F	Sleep under the mosquito net
11	T	Wash and cook food well
12	F	Keep eucalyptus or neem leaves in the household
13	F	Spray alcohol and chlorine all over your body
14	T	Avoid close contact with anyone who has a fever and cough
15	T	Avoid taking taxi-bicycle or taxi-mota to go out
16	F	Take the vaccine. Answer YES if you think there is a vaccine or cure. Answer NO if you think a vaccine or cure does not yet exist.

- 8.1. You answered that you think there is a vaccine. What is the name of the vaccine?
20. As of today, about how many people do you think have tested positive for the coronavirus disease worldwide? In Mozambique? In your province?
 - Between 0 and 10
 - Between 10 and 100
 - Between 100 and 1,000
 - Between 1,000 and a million
 - Between a million and a billion
 - Don't know

21. As of today, about how many people do you think have died of the coronavirus disease worldwide?
In Mozambique? In your province?

- Between 0 and 10
- Between 10 and 100
- Between 100 and 1,000
- Between 1,000 and a million
- Between a million and a billion
- Don't know

GOVERNMENT POLICY: I want to ask you now about government policy related to coronavirus. Your answers are confidential. I am going to list possible actions. For each I action, I will ask 2 questions:

22. To the best of your knowledge, has the government of Mozambique taken this action already to address coronavirus?

1	T	Order a 14 day home quarantine for all persons who have had direct contact with confirmed cases of COVID-19
2	F	Close all airports
3	T	Suspend religious services and celebrations
4	T	Prohibit eviction of tenants in rental contracts
5	T	Stop issuing entry visa to foreign travelers
6	F	Banning personal travel between provinces
7	T	Require face coverings at funeral ceremonies
8	F	Suspend police enforcement
9	F	Prohibit use of minibuses for public transportation
10	F	Order households to “stay in place” except for only necessary trips
11	T	Ask household to not visit patients infected by COVID-19 at hospitals
12	F	Close government offices not related to health
13	F	Order all citizens to wear face coverings when going out of their homes
14	T	Ban gathering of 20 or more people
15	F	Ask households to stay indoors for three weeks ³
16	T	Close gymnasiums, play fields and other sports activities in public spaces
17	F	Prohibit funerals for those with coronavirus or COVID-19
18	T	Declare a State of Emergency
19	T	Close bars and nightclubs
20	T	Suspend all public and private schools

23. What do you think would be the answer to the following questions:

23.1. Do you think you or someone in your household will get sick from coronavirus?

23.2. For every 10 people in your community, how many do you think would get sick from coronavirus?

³ Portuguese translation roughly translates to “stay at home for three weeks”. Note: this is a poor question and should be excluded from or revised for Round 2.

24. Imagine that the government of Mozambique asked people to not leave their homes for three weeks, and no one obeyed or made any changes to their behavior. Then what do you think would be the answer to the following questions:
- 24.1. Do you think you or someone in your household will get sick from coronavirus?
 - 24.2. For every 10 people in your community, how many do you think would get sick from coronavirus?
25. Imagine that the government of Mozambique asked people to not leave their homes for three weeks, and everyone obeyed. Then what do you think would be the answer to the following questions:
- 25.1. Do you think you or someone in your household will get sick from coronavirus?
 - 25.2. For every 10 people in your community, how many do you think would get sick from coronavirus?

Household Questions:

1. If the government of Mozambique asked you to not leave your home for three weeks, would you be able to do it? Please answer honestly. Answers are confidential.
2. Is anyone in your household older than 60 years old?
3. LS04: In a typical week in February 2020, what was your total weekly income? __ Mts (0, 0-1000, 1000-2000, 2000-3000, 3000-5000, More than 5000, don't know, refuse to answer)
 - Enumerator: Write the amount if more than zero. __ Mts
4. LS05: Last week, what was your total weekly income? (0, 0-1000, 1000-2000, 2000-3000, 3000-5000, More than 5000, don't know, refuse to answer)
 - Enumerator: Write the amount if more than zero. __ Mts
5. To the best of your knowledge, have children under 18 years from your household played with children from other households in the last 14 days? (YES, NO, NO CHILDREN IN HOUSEHOLD)
 - 5.1. How many days out of the last 14 did your children under 18 years play with children from other households?

Food Security Questions:

Now I want to ask you what your household's food situation in the last 7 days (may vary between 7 and 30 days depending on timing of repeated surveys).

1. In the past 7 days, was there a lack of food in your household due to a lack of resources to purchase food? (Yes No)
 - 1.1. IF YES, how many days did your household lack food in the last 7 days?

2. In the past 7 days, have you or any household member experienced any of the following cases?
[Select all that apply]
 - 2.1. Difficulties in going to food markets due to mobility restrictions imposed by government
 - 2.2. Difficulties in buying food due to most food markets being closed
 - 2.3. Unable to buy the amount of food we usually buy because of shortages in markets
 - 2.4. Unable to buy the amount of food we usually buy because the price of food was too high
 - 2.5. Unable to buy the amount of food we usually buy because our household income has dropped
 - 2.6. Had to reduce the number of meals and/or the portion of each meal we would usually eat

Validated Altruism:

For your participation in today's survey, we would like to give you 100 Meticaïs. In the next section, I will describe a charitable cause. If you choose, you can also donate some of your 100 Meticaïs to a charitable cause.

We are conducting about 3,000 phone surveys from households in Sofala, Manica and Zambezia provinces. From past surveys, we know which households are the poorest households. You may or may not be one of these households. We know that poor households may be more affected by coronavirus because they have less income to pay for medical expenses and smaller supplies of food. Therefore, we want to give the poorest households additional money to help cope with the coronavirus crisis.

If you choose, you can donate some of your 100 Meticaïs to a poor household. The donations we collect will go to the poorest households first. You can choose to give your money at the national level or community level. If you give at the national level, your money will help the poorest survey households from Sofala, Manica and Zambezia. If you give at the community level, your money will help the poorest survey households in your community—maybe even one of your neighbors—which may or may not be one of the poorest household at the national level. Either way, your donation will be anonymous—no one will know whether you give at the national or community level or how much money you give, even if that amount is zero.

1. You received 100 Meticaïs today. Would you like to donate some of this money to a poor household at high risk of being affected by coronavirus?
2. IF YES, how much money would you like to donate at the national level?
3. IF YES, how much money would you like to donate at the community level?
4. Confirm: If you donate A at the national level and B at the community level, then you will receive (100-A-B) for your participation today instead of 100. Is that what you wanted? IF NO, repeat questions 2 & 3.

Thank you!

COVID Screening Questions: I am now going to ask you some questions used to see if people exhibit some of the coronavirus disease symptoms. Please answer to the best of your ability. Answers are confidential.

1. Have you or anyone in your household tested positive for coronavirus in the last 14 days (two weeks)?
2. Have you or anyone in your household been in contact with anyone who has tested positive for coronavirus?
3. Have you or anyone in your household had fever, cough or shortness of breath in last 14 days (two weeks)?
4. In the last day, has you or anyone in your household have the following conditions:
 - 4.1. fever (38° degrees celsius or greater)?
 - 4.2. new or worsening cough or shortness of breath?
 - 4.3. new or worsening sore throat?
 - 4.4. new or worsening diarrhea?
 - 4.5. new or worsening headache
 - 4.6. new or worsening muscle pain
 - 4.7. loss of sense of smell or taste

Public Health Text:

I want to conclude our survey today with some important health facts approved by the Mozambican Ministry of Health.

“Coronavirus is a virus that causes infections similar to the common flu and can cause severe respiratory illness like pneumonia. It is transmitted from a person with the disease to another through droplets of saliva in a cough or sneeze, or on contaminated objects and surfaces. The incubation period is 2 to 14 days, so a person can have and transmit coronavirus before showing any symptoms. The main symptoms of coronavirus are fever, cough, muscular pains, and difficulty breathing. To prevent getting coronavirus, you should wash your hands with soap and water, wash and cook food well, and open your windows to get greater air circulation. Whenever you cough or sneeze, cover your mouth with the arm bent “V”-shaped and then wash your hands with soap. If you have traveled recently to countries with cases of coronavirus OR think you may have the disease, avoid direct contact with other people and at first sign of fever, constipation or cough call Alô Vida at 84146 for Vodacom, at 82149 for TMCEL, or call PENSA at *660#. Please help prevent the spread of coronavirus!”

Thank you for your participation in our survey!

Begin Survey Appendix:

Knowledge, Beliefs and Behaviors:

8. Have you ever heard of the new coronavirus disease called COVID-19? Yes or No

Heard of COVID-19?	Frequency	Percentage (%)	Cum. (%)
NO	3	0.12	0.12
YES	2412	99.88	100.00
Total:	2415	100	

9. WHO_5: Where did you hear about the new coronavirus from? For each source, say “YES” if you heard about the new coronavirus from the source, and “NO” if not.

Source: Radio	Frequency	Percentage (%)	Cum. (%)
NO	152	24.44	24.44
YES	470	75.56	100.00
Total:	622	100	

Source: TV	Frequency	Percentage (%)	Cum. (%)
NO	94	15.11	15.11
YES	528	84.89	100.00
Total:	621	100	

Source: ATM Screen Message	Frequency	Percentage (%)	Cum. (%)
NO	591	95.02	95.02
YES	31	4.98	100.00
Total:	622	100	

Source: Vodacom, TMCEL or Movitel SMS	Frequency	Percentage (%)	Cum. (%)

NO	525	84.41	84.41
YES	97	15.59	100.00
Total:	622	100	

Source: Whatsapp	Frequency	Percentage (%)	Cum. (%)
NO	568	91.32	91.32
YES	54	8.68	100.00
Total:	622	100	

Source: Facebook or FB Messenger	Frequency	Percentage (%)	Cum. (%)
NO	550	88.42	88.42
YES	72	11.58	100.00
Total:	622	100	

Source: Family Members	Frequency	Percentage (%)	Cum. (%)
NO	488	78.46	78.46
YES	134	21.54	100.00
Total:	622	100	

Source: Friends	Frequency	Percentage (%)	Cum. (%)
NO	452	72.67	72.67
YES	170	27.33	100.00
Total:	622	100	

Source: Health workers	Frequency	Percentage (%)	Cum. (%)

NO	516	82.96	82.96
YES	106	17.04	100.00
Total:	622	100	

Source: Community Non-Profit/ NGO	Frequency	Percentage (%)	Cum. (%)
NO	601	96.62	96.62
YES	21	3.38	100.00
Total:	622	100	

Source: Community Leaders	Frequency	Percentage (%)	Cum. (%)
NO	500	80.39	80.39
YES	122	19.61	100.00
Total:	622	100	

Source: Religious Leaders	Frequency	Percentage (%)	Cum. (%)
NO	583	93.73	93.73
YES	39	6.27	100.00
Total:	622	100	

Source: Traditional Healers or Midwives	Frequency	Percentage (%)	Cum. (%)
NO	617	99.20	99.20
YES	5	0.80	100.00
Total:	622	100	

Source: Other	Frequency	Percentage (%)	Cum. (%)
NO	589	94.69	94.69
YES	33	5.31	100.00
Total:	622	100	

Source: Other	Frequency	Percentage (%)	Cum. (%)
Community Health Workers	2	6.06	6.06
Colleagues	1	3.03	9.09
Colleagues at work	1	3.03	12.12
Of the people	1	3.03	15.15
School	3	9.09	24.24
Hospitals/ health centers	2	6.06	30.3
Imagine about the coronavirus	1	3.03	33.33
Internet	3	9.09	42.42
Newspapers	1	3.03	45.45
Newspapers	5	15.15	60.61
Market	1	3.03	63.64
Markets	1	3.03	66.67
Ministry of Internal Affairs	1	3.03	69.7
In the streets	1	3.03	72.73
People	1	3.03	75.76
Police	1	3.03	78.79
Police	3	9.09	87.88
President of the Republic	1	3.03	90.91

Health care workers	1	3.03	93.94
Meetings	2	6.06	100
Total:	33	100	

10. WHO_6_modified: Of those sources you selected, which do you trust the most to receive information related to coronavirus? Select one response.

Source: trusted most	Frequency	Percentage (%)	Cum. (%)
Community leaders	17	2.73	2.89
Community nonprofit/NGO	2	.32	3.22
Facebook or Facebook Messenger	8	1.29	4.5
Family members	2	.32	4.82
Friends	3	.48	5.31
Health workers	25	4.02	9.32
Other	8	1.29	10.61
Radio	143	22.99	33.6
TV	396	63.67	97.27
Vodacom, TMCEL or Movitel SMS messages	16	2.57	99.84
WhatsApp	1	.16	100
Total:	622	100	

I am now going to ask you some questions about coronavirus and COVID-19. Please answer to the best of your ability. Answers are confidential. We will provide you with information at the end of the survey.

11. WHO_8_modified: Who do you think is more likely to die from a coronavirus infection?⁴ I am going to make statements comparing different types of people. Tell me who you think is more likely to die, or say "same" if you think there is no difference.

- 11.1. A healthy 30-year-old adult or a healthy 5-year-old child? (first)
- 11.2. A healthy 30-year-old adult or a healthy 60-year-old adult? (second)
- 11.3. A grandparent or their grandchild (first)

- 11.4. An adult who does not smoke or an adult who does smoke? (second)
 11.5. A healthy farmer or a healthy health worker? (second)
 11.6. A healthy black adult or a healthy white adult? (same)

Risk Factors: (Second) Healthy Farmer or Healthy Health Worker?	Frequency	Percentage (%)	Cum. (%)
INCORRECT	407	51.98	51.98
CORRECT	376	48.02	100.00
Total:	783	100	

Risk Factors: (First) Smoker vs. Non- Smoker?	Frequency	Percentage (%)	Cum. (%)
INCORRECT	183	23.25	23.25
CORRECT	604	76.75	100.00
Total:	787	100	

Risk Factors: (First) Healthy 30 or Healthy 5 year old?	Frequency	Percentage (%)	Cum. (%)
INCORRECT	401	48.90	48.90
CORRECT	419	51.10	100.00
Total:	820	100	

Risk Factors: (Same) Healthy Black or Healthy White?	Frequency	Percentage (%)	Cum. (%)
INCORRECT	481	59.90	59.90
CORRECT	322	40.10	100.00
Total:	803	100	

Risk Factors: (First) A Grandparent of Grandchild?	Frequency	Percentage (%)	Cum. (%)
INCORRECT	313	37.67	37.67
CORRECT	518	62.33	100.00
Total:	831	100	

Risk Factors: (Second) Healthy 30 or Healthy 60 year old?	Frequency	Percentage (%)	Cum. (%)
INCORRECT	265	32.88	32.88
CORRECT	541	67.12	100.00
Total:	806	100	

12. WHO_10_modified: How is coronavirus spread? I am going to list possible ways that different viruses spread. For each option, say "YES" if you think this is true of coronavirus and say "NO" if you think this is NOT true of coronavirus.

- 12.1. blood transfusion (no)
- 12.2. droplets from infected people (yes)
- 12.3. direct contact with infected people (yes)
- 12.4. touching contaminated objects/surfaces/food (yes)
- 12.5. sexually transmitted (no)
- 12.6. mosquito bites (no)
- 12.7. drinking unclean water (no)
- 12.8. second-hand clothing (no)

Transmission: (No) Blood Transfusion	Frequency	Percentage (%)	Cum. (%)
INCORRECT	260	42.55	42.55
CORRECT	351	57.45	100.00
Total:	611	100	

Transmission: (Yes) Droplets from Infected People	Frequency	Percentage (%)	Cum. (%)
INCORRECT	37	6.02	6.02
CORRECT	578	93.98	100.00
Total:	615	100	

Transmission: (No) Drinking Unclean Water	Frequency	Percentage (%)	Cum. (%)
INCORRECT	245	41.32	41.32
CORRECT	348	58.68	100.00
Total:	593	100	

Transmission: (Yes) Direct Contact with Infected People	Frequency	Percentage (%)	Cum. (%)
INCORRECT	40	6.61	6.61
CORRECT	565	93.39	100.00
Total:	605	100	

Transmission: (No) Sexually Transmitted	Frequency	Percentage (%)	Cum. (%)
INCORRECT	251	41.90	41.90
CORRECT	348	58.10	100.00
Total:	599	100	

Transmission: (No) Second-hand Clothing	Frequency	Percentage (%)	Cum. (%)
INCORRECT	411	69.43	69.43

CORRECT	181	30.57	100.00
Total:	592	100	

Transmission: (Yes) Touching Contaminated Objects	Frequency	Percentage (%)	Cum. (%)
INCORRECT	74	11.60	11.60
CORRECT	564	88.40	100.00
Total:	638	100	

Transmission: (No) Mosquito Bites	Frequency	Percentage (%)	Cum. (%)
INCORRECT	118	20.45	20.45
CORRECT	459	79.55	100.00
Total:	577	100	

13. WHO_11_modified: What are the main symptoms of coronavirus? I am going to list possible symptoms from different viruses (skip "Don't Know"). For each option, say "YES" if you think this is true of coronavirus and say "NO" if you think this is NOT true of coronavirus.

- 13.1. Fever (yes)
- 13.2. Cough (yes)
- 13.3. Shortness of breath and breathing difficulties (yes)
- 13.4. Hearing loss (no)
- 13.5. Pain with urination (no)
- 13.6. New loss of taste or smell (yes)
- 13.7. Blindness (no)

Symptom: (Yes) Fever	Frequency	Percentage (%)	Cum. (%)
INCORRECT	127	17.33	17.33
CORRECT	606	82.67	100.00
Total:	733	100	

Symptom: (No) Hearing Loss	Frequency	Percentage (%)	Cum. (%)
INCORRECT	114	16.29	16.29
CORRECT	586	83.71	100.00
Total:	700	100	

Symptom: (Yes) Cough	Frequency	Percentage (%)	Cum. (%)
INCORRECT	41	5.98	5.98
CORRECT	645	94.02	100.00
Total:	686	100	

Symptom: (Yes) Shortness of Breath/ Difficulty Breathing	Frequency	Percentage (%)	Cum. (%)
INCORRECT	39	5.56	5.56
CORRECT	662	94.44	100.00
Total:	701	100	

Symptom: (No) Pain with urination	Frequency	Percentage (%)	Cum. (%)
INCORRECT	131	20.28	20.28
CORRECT	515	79.72	100.00
Total:	646	100	

Symptom: (Yes) New Loss of Taste of Smell	Frequency	Percentage (%)	Cum. (%)
INCORRECT	437	63.80	63.80
CORRECT	248	36.20	100.00
Total:	685	100	

Symptom: (No) Blindness	Frequency	Percentage (%)	Cum. (%)
INCORRECT	134	19.73	19.73
CORRECT	545	80.27	100.00
Total:	679	100	

PREVENTION KNOWLEDGE/BEHAVIOR:

17. For the following statements, tell me if you strongly agree, agree, disagree, strongly disagree or have no opinion:

17.1. There are actions you can take to protect yourself from becoming sick with coronavirus or prevent spreading it to others.

17.2. There is nothing I can do to prevent the spread of the disease or protect myself from getting sick.

17.3. It is important to take actions to prevent the spread of coronavirus.

17.4. My neighbors consider it important to take actions to prevent the spread of coronavirus

Prevention: My neighbors think prevention of spread is important	Frequency	Percentage (%)	Cum. (%)
STRONGLY DISAGREE	30	1.24	1.24
DISAGREE	186	7.71	8.96
NO OPINION	43	1.78	10.74
AGREE	1378	57.13	67.87
STRONGLY AGREE	775	32.13	100.00
Total:	2412	100	

Prevention: Important to take preventative actions	Frequency	Percentage (%)	Cum. (%)
STRONGLY DISAGREE	27	1.12	1.12
DISAGREE	139	5.76	6.88

NO OPINION	26	1.08	7.96
AGREE	1390	57.60	65.56
STRONGLY AGREE	831	34.44	100.00
Total:	2413	100	

Prevention: Nothing can prevent spread of COVID-19	Frequency	Percentage (%)	Cum. (%)
STRONGLY DISAGREE	364	15.08	15.08
DISAGREE	1492	61.81	76.88
NO OPINION	47	1.95	78.83
AGREE	413	17.11	95.94
STRONGLY AGREE	98	4.06	100.00
Total:	2414	100	

Prevention: Can prevent spread of COVID-19	Frequency	Percentage (%)	Cum. (%)
STRONGLY DISAGREE	40	1.66	1.66
DISAGREE	175	7.25	8.91
NO OPINION	43	1.78	10.69
AGREE	1284	53.19	63.88
STRONGLY AGREE	872	36.12	100.00
Total:	2414	100	

11. (Outcome questions on social distancing in general)

11.1. Do you support the practice of social distancing to prevent the spread of coronavirus?

11.2. For every 10 households in your community, how many do you think support the practice of social distancing to prevent the spread of coronavirus?

11.3. In the past 14 days, have you been able to observe the government's recommendations on social distancing?

18. How confident are you in your last response? (1=Not Confident At All, 2=A Little Confident, 3=Mostly Confident, 4=Completely Confident, -88= did not know previous question, -99= refuse to answer)

Do you support social distancing?	Frequency	Percentage (%)	Cum. (%)
NO	58	2.40	2.40
YES	2356	97.60	100.00
Total:	2414	100	

Of 10 Hhs- support social distancing	Frequency	Percentage (%)	Cum. (%)
0	196	8.15	8.15
1	26	1.08	9.23
2	45	1.87	11.10
3	77	3.20	14.30
4	124	5.16	19.46
5	375	15.59	35.05
6	172	7.15	42.20
7	188	7.82	50.02
8	237	9.85	59.88
9	128	5.32	65.20
10	837	34.80	100.00
Total:	2405	100	

Past 14 days- observed government recommendations on social distancing	Frequency	Percentage (%)	Cum. (%)
NO	126	5.22	5.22
YES	2289	94.78	100.00

Total:	2415	100	
---------------	-------------	------------	--

Confidence- observed government recommendations of social distancing	Frequency	Percentage (%)	Cum. (%)
DON'T KNOW	4	0.17	0.17
NOT CONFIDENT AT ALL	31	1.28	1.45
A LITTLE CONFIDENT	151	6.26	7.71
MOSTLY CONFIDENT	183	7.58	15.29
COMPLETELY CONFIDENT	2045	84.71	100.00
Total:	2414	100	

We want to collect information on knowledge and behaviors related to coronavirus. I am going to list possible actions. For each action, I will ask the following questions:

19. Will this action prevent spreading coronavirus to yourself and others? (YES or NO or DON'T KNOW or NO ANSWER GIVEN)
20. How confident are you in your last response? (1=Not Confident At All, 2=A Little Confident, 3=Mostly Confident, 4=Completely Confident, -88= did not know previous question, -99= refuse to answer)
21. Is this something your household has been doing for the last seven days? (YES or NO)
22. Is this something you think people should be doing? (YES or NO)
23. For every 10 households in your community, how many would support this action?

1	T	Cover your mouth and nose when coughing or sneezing
2	T	Keep a distance of at least 1.5 meters from people outside of my household
3	F	Shop in crowded areas like informal markets
4	F	Meet up with friends
5	T	Help the elderly avoid close contact with other people, including children
6	T	Refuse to shake hands if required to greet someone
7	T	Avoid attending social gatherings of any size
8	F	Driving a taxi-mota or taxi-bicycle to carry passengers
9	T	If show symptoms of coronavirus, immediately inform my household and avoid people
10	F	Drinking alcohol in Barracas
11	T	Wear a face covering if showing symptoms of coronavirus

12	T	Instead of meeting in person, call on the phone or send text message
13	F	Allow children to build immunity by playing with children from other households
14	T	Stay in the household area at all times

SD: (T) Knowledge-Covering mouth and nose	Frequency	Percentage (%)	Cum. (%)
INCORRECT	25	3.54	3.54
CORRECT	682	96.46	100.00
Total:	707	100	

SD: (T) Confidence-Covering mouth and nose	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	21	2.97	2.97
INCORRECT AND MOSTLY CONFIDENT	1	0.14	3.11
INCORRECT AND A LITTLE CONFIDENT	2	0.28	3.39
INCORRECT AND NOT CONFIDENT AT ALL	1	0.14	3.54
DON'T KNOW	4	0.57	4.10
CORRECT AND NOT CONFIDENT AT ALL	4	0.57	4.67
CORRECT AND A LITTLE CONFIDENT	13	1.84	6.51
CORRECT AND MOSTLY CONFIDENT	22	3.11	9.62
CORRECT AND COMPLETELY CONFIDENT	639	90.38	100.00
Total:	707	100	

SD: (T) Has your Hh-Covering mouth and nose	Frequency	Percentage (%)	Cum. (%)
NO	22	3.12	3.12
YES	684	96.88	100.00
Total:	706	100	

SD: (T) Should ppl-Covering mouth and nose	Frequency	Percentage (%)	Cum. (%)
NO	23	3.25	3.25
YES	684	96.75	100.00
Total:	707	100	

SD: (T) Of 10Hhs-Covering mouth and nose	Frequency	Percentage (%)	Cum. (%)
0	6	0.89	0.89
1	5	0.75	1.64
2	6	0.89	2.53
3	11	1.64	4.17
4	20	2.98	7.15
5	77	11.48	18.63
6	53	7.90	26.53
7	56	8.35	34.87
8	90	13.41	48.29
9	55	8.20	56.48
10	292	43.52	100.00
Total:	671	100	

SD: (T) Knowledge-1.5M distance	Frequency	Percentage (%)	Cum. (%)
INCORRECT	21	3.06	3.06
CORRECT	665	96.94	100.00
Total:	686	100	

SD: (T) Confidence-1.5M distance	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	14	2.04	2.04
INCORRECT AND MOSTLY CONFIDENT	3	0.44	2.48
INCORRECT AND A LITTLE CONFIDENT	4	0.58	3.06
INCORRECT AND NOT CONFIDENT AT ALL	2	0.29	3.35
DON'T KNOW	2	0.29	3.64
CORRECT AND NOT CONFIDENT AT ALL	20	2.92	6.56

CORRECT AND A LITTLE CONFIDENT	25	3.64	10.20
CORRECT AND MOSTLY CONFIDENT	616	89.80	100.00
CORRECT AND COMPLETELY CONFIDENT	686	100	

SD: (T) Has your Hh-1.5M distance	Frequency	Percentage (%)	Cum. (%)
NO	37	5.40	5.40
YES	648	94.60	100.00
Total:	685	100	

SD: (T) Should ppl-1.5M distance	Frequency	Percentage (%)	Cum. (%)
NO	22	3.22	3.22
YES	662	96.78	100.00
Total:	684	100	

SD: (T) Of 10Hhs-1.5M distance	Frequency	Percentage (%)	Cum. (%)
0	7	1.07	1.07
1	2	0.31	1.38
2	9	1.38	2.75
3	17	2.60	5.35
4	32	4.89	10.24
5	100	15.29	25.54
6	55	8.41	33.94
7	54	8.26	42.20
8	75	11.47	53.67
9	60	9.17	62.84
10	243	37.16	100.00
Total:	654	100	

SD: (F) Knowledge-shopping in informal markets	Frequency	Percentage (%)	Cum. (%)
INCORRECT	131	18.30	18.30
CORRECT	585	81.70	100.00
Total:	716	100	

SD: (F) Confidence-shopping in informal markets	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	106	14.80	14.80
INCORRECT AND MOSTLY CONFIDENT	12	1.68	16.48
INCORRECT AND A LITTLE CONFIDENT	7	0.98	17.46
INCORRECT AND NOT CONFIDENT AT ALL	3	0.42	17.88
DON'T KNOW	3	0.42	18.30
CORRECT AND NOT CONFIDENT AT ALL	13	1.82	20.11
CORRECT AND A LITTLE CONFIDENT	32	4.47	24.58
CORRECT AND MOSTLY CONFIDENT	30	4.19	28.77
CORRECT AND COMPLETELY CONFIDENT	510	71.23	100.00
Total:	716	100	

SD: (F) Has your Hh-been shopping in informal markets	Frequency	Percentage (%)	Cum. (%)
NO	263	36.94	36.94
YES	449	63.06	100.00
Total:	712	100	

SD: (F) Should ppl-shop in informal markets	Frequency	Percentage (%)	Cum. (%)
NO	408	57.71	57.71
YES	299	42.29	100.00
Total:	707	100	

SD: (F) Of 10 Hhs-shopping in informal markets	Frequency	Percentage (%)	Cum. (%)
0	59	8.73	8.73
1	5	0.74	9.47
2	25	3.70	13.17
3	28	4.14	17.31

4	33	4.88	22.19
5	110	16.27	38.46
6	60	8.88	47.34
7	52	7.69	55.03
8	79	11.69	66.72
9	49	7.25	73.96
10	176	26.04	100.00
Total:	676	100	

SD: (F) Knowledge-meet up with friends	Frequency	Percentage (%)	Cum. (%)
INCORRECT	173	25.04	25.04
CORRECT	518	74.96	100.00
Total:	691	100	

SD: (F) Confidence-meet up with friends	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	139	20.17	20.17
INCORRECT AND MOSTLY CONFIDENT	10	1.45	21.63
INCORRECT AND A LITTLE CONFIDENT	19	2.76	24.38
INCORRECT AND NOT CONFIDENT AT ALL	2	0.29	24.67
DON'T KNOW	3	0.44	25.11
CORRECT AND NOT CONFIDENT AT ALL	9	1.31	26.42
CORRECT AND A LITTLE CONFIDENT	31	4.50	30.91
CORRECT AND MOSTLY CONFIDENT	34	4.93	35.85
CORRECT AND COMPLETELY CONFIDENT	442	64.15	100.00
Total:	689	100	

SD: (F) Has your Hh-meeting up with friends	Frequency	Percentage (%)	Cum. (%)
NO	348	50.73	50.73
YES	338	49.27	100.00
Total:	686	100	

SD: (F) Should ppl-meet up with friends	Frequency	Percentage (%)	Cum. (%)
NO	412	60.06	60.06
YES	274	39.94	100.00
Total:	686	100	

SD: (F) Of 10 Hhs-meeting up with friends	Frequency	Percentage (%)	Cum. (%)
0	61	9.56	9.56
1	21	3.29	12.85
2	30	4.70	17.55
3	43	6.74	24.29
4	45	7.05	31.35
5	99	15.52	46.87
6	66	10.34	57.21
7	43	6.74	63.95
8	64	10.03	73.98
9	44	6.90	80.88
10	122	19.12	100.00
Total:	638	100	

SD: (T) Knowledge-helping elderly avoid close contact	Frequency	Percentage (%)	Cum. (%)
INCORRECT	95	13.75	13.75
CORRECT	596	86.25	100.00
Total:	691	100	

SD: (T) Confidence-helping elderly avoid close contact	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	61	8.85	8.85
INCORRECT AND MOSTLY CONFIDENT	11	1.60	10.45
INCORRECT AND A LITTLE CONFIDENT	8	1.16	11.61
INCORRECT AND NOT CONFIDENT AT ALL	6	0.87	12.48
DON'T KNOW	9	1.31	13.79

CORRECT AND NOT CONFIDENT AT ALL	4	0.58	14.37
CORRECT AND A LITTLE CONFIDENT	27	3.92	18.29
CORRECT AND MOSTLY CONFIDENT	33	4.79	23.08
CORRECT AND COMPLETELY CONFIDENT	530	76.92	100.00
Total:	689	100	

SD: (T) Has your Hh-helping elderly avoid close contact	Frequency	Percentage (%)	Cum. (%)
NO	100	14.64	14.64
YES	583	85.36	100.00
Total:	683	100	

SD: (T) Should ppl-helping elderly avoid close contact	Frequency	Percentage (%)	Cum. (%)
NO	69	10.04	10.04
YES	618	89.96	100.00
Total:	687	100	

SD: (T) Of 10 Hhs-helping elderly avoid close contact	Frequency	Percentage (%)	Cum. (%)
0	16	2.53	2.53
1	9	1.42	3.95
2	17	2.69	6.64
3	23	3.63	10.27
4	32	5.06	15.32
5	87	13.74	29.07
6	59	9.32	38.39
7	56	8.85	47.24
8	71	11.22	58.45
9	54	8.53	66.98
10	209	33.02	100.00
Total:	633	100	

SD: (T) Knowledge-refusing to shake hands	Frequency	Percentage (%)	Cum. (%)
INCORRECT	38	5.64	5.64
CORRECT	636	94.36	100.00
Total:	674	100	

SD: (T) Confidence-refusing to shake hands	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	32	4.75	4.75
INCORRECT AND MOSTLY CONFIDENT	2	0.30	5.04
INCORRECT AND A LITTLE CONFIDENT	1	0.15	5.19
INCORRECT AND NOT CONFIDENT AT ALL	1	0.15	5.34
DON'T KNOW	4	0.59	5.93
CORRECT AND NOT CONFIDENT AT ALL	2	0.30	6.23
CORRECT AND A LITTLE CONFIDENT	15	2.23	8.46
CORRECT AND MOSTLY CONFIDENT	18	2.67	11.13
CORRECT AND COMPLETELY CONFIDENT	599	88.87	100.00
Total:	674	100	

SD: (T) Has your Hh-refused to shake hands	Frequency	Percentage (%)	Cum. (%)
NO	32	4.81	4.81
YES	633	95.19	100.00
Total:	665	100	

SD: (T) Should ppl-refuse to shake hands	Frequency	Percentage (%)	Cum. (%)
NO	33	4.94	4.94
YES	635	95.06	100.00
Total:	668	100	

SD: (T) Of 10 Hhs- refuse to shake hands	Frequency	Percentage (%)	Cum. (%)
0	11	1.72	1.72
1	5	0.78	2.51
2	13	2.04	4.55
3	16	2.51	7.05
4	20	3.13	10.19
5	68	10.66	20.85
6	28	4.39	25.24
7	44	6.90	32.13
8	69	10.82	42.95
9	54	8.46	51.41
10	310	48.59	100.00
Total:	638	100	

SD: (T) Knowledge- avoid social gatherings	Frequency	Percentage (%)	Cum. (%)
INCORRECT	49	6.61	6.61
CORRECT	692	93.39	100.00
Total:	741	100	

SD: (T) Confidence- avoid social gatherings	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	34	4.59	4.59
INCORRECT AND MOSTLY CONFIDENT	6	0.81	5.40
INCORRECT AND A LITTLE CONFIDENT	4	0.54	5.94
INCORRECT AND NOT CONFIDENT AT ALL	1	0.13	6.07
DON'T KNOW	5	0.67	6.75
CORRECT AND NOT CONFIDENT AT ALL	3	0.40	7.15
CORRECT AND A LITTLE CONFIDENT	15	2.02	9.18
CORRECT AND MOSTLY CONFIDENT	30	4.05	13.23
CORRECT AND COMPLETELY CONFIDENT	643	86.77	100.00
Total:	741	100	

SD: (T) Has your Hh-avoid social gatherings	Frequency	Percentage (%)	Cum. (%)
NO	52	7.05	7.05
YES	686	92.95	100.00
Total:	738	100	

SD: (T) Should ppl-avoid social gatherings	Frequency	Percentage (%)	Cum. (%)
NO	56	7.65	7.65
YES	676	92.35	100.00
Total:	732	100	

SD: (T) Of 10 Hhs-avoid social gatherings	Frequency	Percentage (%)	Cum. (%)
0	11	1.56	1.56
1	3	0.43	1.99
2	15	2.13	4.11
3	30	4.26	8.37
4	27	3.83	12.20
5	92	13.05	25.25
6	56	7.94	33.19
7	66	9.36	42.55
8	79	11.21	53.76
9	49	6.95	60.71
10	277	39.29	100.00
Total:	705	100	

SD: (F) Knowledge-driving to carry passangers	Frequency	Percentage (%)	Cum. (%)
INCORRECT	179	26.56	26.56
CORRECT	495	73.44	100.00
Total:	674	100	

SD: (F) Confidence-driving to carry passangers	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	133	19.76	19.76
INCORRECT AND MOSTLY CONFIDENT	18	2.67	22.44

INCORRECT AND A LITTLE CONFIDENT	16	2.38	24.81
INCORRECT AND NOT CONFIDENT AT ALL	6	0.89	25.71
DON'T KNOW	6	0.89	26.60
CORRECT AND NOT CONFIDENT AT ALL	17	2.53	29.12
CORRECT AND A LITTLE CONFIDENT	40	5.94	35.07
CORRECT AND MOSTLY CONFIDENT	33	4.90	39.97
CORRECT AND COMPLETELY CONFIDENT	404	60.03	100.00
Total:	673	100	

SD: (F) Has your Hh-driving to carry passengers	Frequency	Percentage (%)	Cum. (%)
NO	403	60.06	60.06
YES	268	39.94	100.00
Total:	671	100	

SD: (F) Should ppl-driving to carry passengers	Frequency	Percentage (%)	Cum. (%)
NO	390	59.36	59.36
YES	267	40.64	100.00
Total:	657	100	

SD: (F) Of 10 Hhs-driving to carry passengers	Frequency	Percentage (%)	Cum. (%)
0	47	7.65	7.65
1	9	1.47	9.12
2	27	4.40	13.52
3	32	5.21	18.73
4	44	7.17	25.90
5	113	18.40	44.30
6	57	9.28	53.58
7	46	7.49	61.07
8	66	10.75	71.82
9	35	5.70	77.52

10	138	22.48	100.00
Total:	614	100	

SD: (T) Knowledge- immediately inform HH of symptoms	Frequency	Percentage (%)	Cum. (%)
INCORRECT	55	7.94	7.94
CORRECT	638	92.06	100.00
Total:	693	100	

SD: (T) Confidence- immediately inform HH of symptoms	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	35	5.07	5.07
INCORRECT AND MOSTLY CONFIDENT	7	1.01	6.08
INCORRECT AND A LITTLE CONFIDENT	8	1.16	7.24
INCORRECT AND NOT CONFIDENT AT ALL	3	0.43	7.67
DON'T KNOW	3	0.43	8.10
CORRECT AND NOT CONFIDENT AT ALL	3	0.43	8.54
CORRECT AND A LITTLE CONFIDENT	23	3.33	11.87
CORRECT AND MOSTLY CONFIDENT	30	4.34	16.21
CORRECT AND COMPLETELY CONFIDENT	579	83.79	100.00
Total:	691	100	

SD: (T) Has your Hh- immediately inform HH of symptoms	Frequency	Percentage (%)	Cum. (%)
NO	79	11.47	11.47
YES	610	88.53	100.00
Total:	689	100	

SD: (T) Should ppl- immediately inform HH of symptoms	Frequency	Percentage (%)	Cum. (%)
NO	38	5.54	5.54
YES	648	94.46	100.00
Total:	686	100	

SD: (T) Of 10 Hhs- immediately inform HH of symptoms	Frequency	Percentage (%)	Cum. (%)
0	5	0.78	0.78
1	6	0.93	1.71
2	15	2.33	4.04
3	12	1.86	5.90
4	35	5.43	11.34
5	89	13.82	25.16
6	50	7.76	32.92
7	65	10.09	43.01
8	83	12.89	55.90
9	52	8.07	63.98
10	232	36.02	100.00
Total:	644	100	

SD: (F) Knowledge- drinking alcohol in Barracas	Frequency	Percentage (%)	Cum. (%)
INCORRECT	74	10.88	10.88
CORRECT	606	89.12	100.00
Total:	680	100	

SD: (F) Confidence- drinking alcohol in Barracas	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	55	8.11	8.11
INCORRECT AND MOSTLY CONFIDENT	11	1.62	9.73
INCORRECT AND A LITTLE CONFIDENT	5	0.74	10.47
INCORRECT AND NOT CONFIDENT AT ALL	3	0.44	10.91
DON'T KNOW	16	2.36	13.27

CORRECT AND NOT CONFIDENT AT ALL	22	3.24	16.52
CORRECT AND A LITTLE CONFIDENT	20	2.95	19.47
CORRECT AND MOSTLY CONFIDENT	546	80.53	100.00
CORRECT AND COMPLETELY CONFIDENT	678	100	

SD: (F) Has your Hh-drinking alcohol in Barracas	Frequency	Percentage (%)	Cum. (%)
NO	536	79.17	79.17
YES	141	20.83	100.00
Total:	677	100	

SD: (F) Should ppl-drinking alcohol in Barracas	Frequency	Percentage (%)	Cum. (%)
NO	528	77.99	77.99
YES	149	22.01	100.00
Total:	677	100	

SD: (F) Of 10 Hhs-drinking alcohol in Barracas	Frequency	Percentage (%)	Cum. (%)
0	141	22.14	22.14
1	14	2.20	24.33
2	43	6.75	31.08
3	59	9.26	40.35
4	45	7.06	47.41
5	82	12.87	60.28
6	31	4.87	65.15
7	30	4.71	69.86
8	42	6.59	76.45
9	46	7.22	83.67
10	104	16.33	100.00
Total:	637	100	

SD: (T) Knowledge-wearing a face covering when sick	Frequency	Percentage (%)	Cum. (%)
---	-----------	----------------	----------

INCORRECT	73	10.83	10.83
CORRECT	601	89.17	100.00
Total:	674	100	

SD: (T) Confidence-wearing a face covering when sick	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	51	7.58	7.58
INCORRECT AND MOSTLY CONFIDENT	7	1.04	8.62
INCORRECT AND A LITTLE CONFIDENT	11	1.63	10.25
INCORRECT AND NOT CONFIDENT AT ALL	3	0.45	10.70
DON'T KNOW	3	0.45	11.14
CORRECT AND NOT CONFIDENT AT ALL	7	1.04	12.18
CORRECT AND A LITTLE CONFIDENT	34	5.05	17.24
CORRECT AND MOSTLY CONFIDENT	34	5.05	22.29
CORRECT AND COMPLETELY CONFIDENT	523	77.71	100.00
Total:	673	100	

SD: (T) Has your Hh-wearing a face covering when sick	Frequency	Percentage (%)	Cum. (%)
NO	61	9.06	9.06
YES	612	90.94	100.00
Total:	673	100	

SD: (T) Should ppl-wearing a face covering when sick	Frequency	Percentage (%)	Cum. (%)
NO	52	7.83	7.83
YES	612	92.17	100.00
Total:	664	100	

SD: (T) Of 10 Hhs- wearing a face covering when sick	Frequency	Percentage (%)	Cum. (%)
0	21	3.27	3.27
1	4	0.62	3.89
2	10	1.56	5.44
3	17	2.64	8.09
4	26	4.04	12.13
5	74	11.51	23.64
6	46	7.15	30.79
7	48	7.47	38.26
8	76	11.82	50.08
9	42	6.53	56.61
10	279	43.39	100.00
Total:	643	100	

SD: (T) Knowledge- sending a message over meeting in person	Frequency	Percentage (%)	Cum. (%)
INCORRECT	96	15.31	15.31
CORRECT	531	84.69	100.00
Total:	627	100	

SD: (T) Confidence- sending a message over meeting in person	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	63	10.08	10.08
INCORRECT AND MOSTLY CONFIDENT	2	0.32	10.40
INCORRECT AND A LITTLE CONFIDENT	15	2.40	12.80
INCORRECT AND NOT CONFIDENT AT ALL	10	1.60	14.40
DON'T KNOW	6	0.96	15.36
CORRECT AND NOT CONFIDENT AT ALL	1	0.16	15.52
CORRECT AND A LITTLE CONFIDENT	19	3.04	18.56
CORRECT AND MOSTLY CONFIDENT	19	3.04	21.60

CORRECT AND COMPLETELY CONFIDENT	490	78.40	100.00
Total:	625	100	

SD: (T) Has your Hh-sending a message over meeting in person	Frequency	Percentage (%)	Cum. (%)
NO	88	14.17	14.17
YES	533	85.83	100.00
Total:	621	100	

SD: (T) Should ppl-sending a message over meeting in person	Frequency	Percentage (%)	Cum. (%)
NO	66	10.68	10.68
YES	552	89.32	100.00
Total:	618	100	

SD: (T) Of 10 Hhs-sending a message over meeting in person	Frequency	Percentage (%)	Cum. (%)
0	14	2.43	2.43
1	6	1.04	3.47
2	14	2.43	5.89
3	20	3.47	9.36
4	38	6.59	15.94
5	100	17.33	33.28
6	54	9.36	42.63
7	42	7.28	49.91
8	72	12.48	62.39
9	43	7.45	69.84
10	174	30.16	100.00
Total:	577	100	

SD: (F) Knowledge-allowing children to build immunity	Frequency	Percentage (%)	Cum. (%)
INCORRECT	163	23.32	23.32
CORRECT	536	76.68	100.00
Total:	699	100	

SD: (F) Confidence-allowing children to build immunity	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	130	18.60	18.60
INCORRECT AND MOSTLY CONFIDENT	12	1.72	20.31
INCORRECT AND A LITTLE CONFIDENT	11	1.57	21.89
INCORRECT AND NOT CONFIDENT AT ALL	7	1.00	22.89
DON'T KNOW	5	0.72	23.61
CORRECT AND NOT CONFIDENT AT ALL	13	1.86	25.46
CORRECT AND A LITTLE CONFIDENT	37	5.29	30.76
CORRECT AND MOSTLY CONFIDENT	41	5.87	36.62
CORRECT AND COMPLETELY CONFIDENT	443	63.38	100.00
Total:	699	100	

SD: (F) Has your Hh-allowing children to build immunity	Frequency	Percentage (%)	Cum. (%)
NO	391	56.67	56.67
YES	299	43.33	100.00
Total:	690	100	

SD: (F) Should ppl-allowing children to build immunity	Frequency	Percentage (%)	Cum. (%)
NO	430	62.05	62.05
YES	263	37.95	100.00
Total:	693	100	

SD: (F) Of 10 Hhs-allowing children to build immunity	Frequency	Percentage (%)	Cum. (%)
0	72	11.25	11.25
1	9	1.41	12.66
2	30	4.69	17.34

3	55	8.59	25.94
4	35	5.47	31.41
5	91	14.22	45.62
6	55	8.59	54.22
7	47	7.34	61.56
8	73	11.41	72.97
9	54	8.44	81.41
10	119	18.59	100.00
Total:	640	100	

SD: (T) Knowledge-staying in HH area at all times	Frequency	Percentage (%)	Cum. (%)
INCORRECT	52	7.36	7.36
CORRECT	655	92.64	100.00
Total:	707	100	

SD: (T) Confidence-staying in HH area at all times	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	38	5.38	5.38
INCORRECT AND MOSTLY CONFIDENT	5	0.71	6.09
INCORRECT AND A LITTLE CONFIDENT	6	0.85	6.94
INCORRECT AND NOT CONFIDENT AT ALL	3	0.42	7.37
DON'T KNOW	2	0.28	7.65
CORRECT AND NOT CONFIDENT AT ALL	2	0.28	7.93
CORRECT AND A LITTLE CONFIDENT	24	3.40	11.33
CORRECT AND MOSTLY CONFIDENT	18	2.55	13.88
CORRECT AND COMPLETELY CONFIDENT	608	86.12	100.00
Total:	706	100	

SD: (T) Has your Hh-staying in HH area at all times	Frequency	Percentage (%)	Cum. (%)
--	------------------	-----------------------	-----------------

NO	108	15.34	15.34
YES	596	84.66	100.00
Total:	704	100	

SD: (T) Should ppl-staying in HH area at all times	Frequency	Percentage (%)	Cum. (%)
NO	61	8.66	8.66
YES	643	91.34	100.00
Total:	704	100	

SD: (T) Of 10 Hhs-staying in HH area at all times	Frequency	Percentage (%)	Cum. (%)
0	26	3.86	3.86
1	8	1.19	5.05
2	13	1.93	6.98
3	26	3.86	10.85
4	32	4.75	15.60
5	111	16.49	32.10
6	50	7.43	39.52
7	53	7.88	47.40
8	76	11.29	58.69
9	42	6.24	64.93
10	236	35.07	100.00
Total:	673	100	

Household Prevention (HP) Actions

12. Will this action prevent spreading coronavirus to yourself and others? (YES or NO or DON'T KNOW or NO ANSWER GIVEN) (hp12 in SurveyCTO).
13. If answer YES or NO: How confident are you in your last response? (1=Not Confident At All, 2=A Little Confident, 3=Mostly Confident, 4=Completely Confident) (hp13 in SurveyCTO).
14. Is this something your household has been doing for the last seven days? (YES or NO). (hp14 in SurveyCTO).

1	T	Avoid buying food in the road (espetos, roasted corn)
2	F	Take medicine given for a different illness
3	T	Wash your hands regularly using soap and water
4	F	Drinking hot tea
5	T	Open the windows to increase air circulation
6	T	Wear a face covering in public when you are healthy
7	F	Eat foods with lemons or garlic or pepper

8	T	If show symptoms of coronavirus, immediately go to the nearest clinic
9	F	Drink only treated water
10	F	Sleep under the mosquito net
11	T	Wash and cook food well
12	F	Keep eucalyptus or neem leaves in the household
13	F	Spray alcohol and chlorine all over your body
14	T	Avoid close contact with anyone who has a fever and cough
15	T	Avoid taking taxi-bicycle or taxi-mota to go out
16	F	Take the vaccine. Answer YES if you think there is a vaccine or cure. Answer NO if you think a vaccine or cure does not yet exist.

8.1. You answered that you think there is a vaccine. What is the name of the vaccine?

HP: (T) Knowledge-avoid buying food in the road	Frequency	Percentage (%)	Cum. (%)
INCORRECT	163	27.44	27.44
CORRECT	431	72.56	100.00
Total:	594	100	

HP: (T) Confidence-avoid buying food in the road	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	121	20.44	20.44
INCORRECT AND MOSTLY CONFIDENT	8	1.35	21.79
INCORRECT AND A LITTLE CONFIDENT	18	3.04	24.83
INCORRECT AND NOT CONFIDENT AT ALL	7	1.18	26.01
DON'T KNOW	10	1.69	27.70
CORRECT AND NOT CONFIDENT AT ALL	2	0.34	28.04
CORRECT AND A LITTLE CONFIDENT	15	2.53	30.57
CORRECT AND MOSTLY CONFIDENT	24	4.05	34.63
CORRECT AND COMPLETELY CONFIDENT	387	65.37	100.00
Total:	592	100	

HP: (T) Has your Hh-avoided buying food in the road	Frequency	Percentage (%)	Cum. (%)
NO	128	22.07	22.07
YES	452	77.93	100.00
Total:	580	100	

HP: (F) Knowledge-take medicine for different illness	Frequency	Percentage (%)	Cum. (%)
INCORRECT	155	25.62	25.62
CORRECT	450	74.38	100.00
Total:	605	100	

HP: (F) Confidence-take medicine for different illness	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	106	17.55	17.55
INCORRECT AND MOSTLY CONFIDENT	14	2.32	19.87
INCORRECT AND A LITTLE CONFIDENT	17	2.81	22.68
INCORRECT AND NOT CONFIDENT AT ALL	9	1.49	24.17
DON'T KNOW	9	1.49	25.66
CORRECT AND NOT CONFIDENT AT ALL	22	3.64	29.30
CORRECT AND A LITTLE CONFIDENT	38	6.29	35.60
CORRECT AND MOSTLY CONFIDENT	27	4.47	40.07
CORRECT AND COMPLETELY CONFIDENT	362	59.93	100.00
Total:	604	100	

HP: (F) Has your Hh-take medicine for different illness	Frequency	Percentage (%)	Cum. (%)
NO	355	59.66	59.66
YES	240	40.34	100.00
Total:	595	100	

HP: (T) Knowledge-wash hands regularly	Frequency	Percentage (%)	Cum. (%)
INCORRECT	4	0.66	0.66
CORRECT	604	99.34	100.00
Total:	608	100	

HP: (T) Confidence-wash hands regularly	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	3	0.49	0.49
INCORRECT AND MOSTLY CONFIDENT	1	0.16	0.66
INCORRECT AND A LITTLE CONFIDENT	1	0.16	0.82
INCORRECT AND NOT CONFIDENT AT ALL	1	0.16	0.99
DON'T KNOW	13	2.14	3.12
CORRECT AND NOT CONFIDENT AT ALL	11	1.81	4.93
CORRECT AND A LITTLE CONFIDENT	578	95.07	100.00
CORRECT AND MOSTLY CONFIDENT	608	100	
CORRECT AND COMPLETELY CONFIDENT			

HP: (T) Has your Hh-wash hands regularly	Frequency	Percentage (%)	Cum. (%)
NO	7	1.15	1.15
YES	601	98.85	100.00
Total:	608	100	

HP: (F) Knowledge-drinking hot tea	Frequency	Percentage (%)	Cum. (%)
INCORRECT	490	79.29	79.29
CORRECT	128	20.71	100.00
Total:	618	100	

HP: (F) Confidence-drinking hot tea	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	390	63.83	63.83
INCORRECT AND MOSTLY CONFIDENT	27	4.42	68.25
INCORRECT AND A LITTLE CONFIDENT	36	5.89	74.14
INCORRECT AND NOT CONFIDENT AT ALL	18	2.95	77.09
DON'T KNOW	14	2.29	79.38
CORRECT AND NOT CONFIDENT AT ALL	10	1.64	81.01
CORRECT AND A LITTLE CONFIDENT	9	1.47	82.49
CORRECT AND MOSTLY CONFIDENT	10	1.64	84.12
CORRECT AND COMPLETELY CONFIDENT	97	15.88	100.00
Total:	611	100	

HP: (F) Has your Hh-drinking hot tea	Frequency	Percentage (%)	Cum. (%)
NO	114	18.87	18.87
YES	490	81.13	100.00
Total:	604	100	

HP: (T) Knowledge-open windows to increase air circulation	Frequency	Percentage (%)	Cum. (%)
INCORRECT	156	26.40	26.40
CORRECT	435	73.60	100.00
Total:	591	100	

HP: (T) Confidence-open windows to increase air circulation	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	113	19.19	19.19
INCORRECT AND MOSTLY CONFIDENT	10	1.70	20.88

INCORRECT AND A LITTLE CONFIDENT	17	2.89	23.77
INCORRECT AND NOT CONFIDENT AT ALL	10	1.70	25.47
DON'T KNOW	10	1.70	27.16
CORRECT AND NOT CONFIDENT AT ALL	2	0.34	27.50
CORRECT AND A LITTLE CONFIDENT	17	2.89	30.39
CORRECT AND MOSTLY CONFIDENT	15	2.55	32.94
CORRECT AND COMPLETELY CONFIDENT	395	67.06	100.00
Total:	589	100	

HP: (T) Has your Hh-open windows to increase air circulation	Frequency	Percentage (%)	Cum. (%)
NO	102	17.47	17.47
YES	482	82.53	100.00
Total:	584	100	

HP: (T) Knowledge-wearing a face covering when healthy	Frequency	Percentage (%)	Cum. (%)
INCORRECT	49	7.93	7.93
CORRECT	569	92.07	100.00
Total:	618	100	

HP: (T) Confidence-wearing a face covering when healthy	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	35	5.66	5.66
INCORRECT AND MOSTLY CONFIDENT	3	0.49	6.15
INCORRECT AND A LITTLE CONFIDENT	4	0.65	6.80
INCORRECT AND NOT CONFIDENT AT ALL	7	1.13	7.93
DON'T KNOW	4	0.65	8.58

CORRECT AND NOT CONFIDENT AT ALL	2	0.32	8.90
CORRECT AND A LITTLE CONFIDENT	11	1.78	10.68
CORRECT AND MOSTLY CONFIDENT	20	3.24	13.92
CORRECT AND COMPLETELY CONFIDENT	532	86.08	100.00
Total:	618	100	

HP: (T) Has your Hh-wearing a face covering when healthy	Frequency	Percentage (%)	Cum. (%)
NO	38	6.15	6.15
YES	580	93.85	100.00
Total:	618	100	

HP: (F) Knowledge-eating foods with lemons or garlic or pepper	Frequency	Percentage (%)	Cum. (%)
INCORRECT	444	74.75	74.75
CORRECT	150	25.25	100.00
Total:	594	100	

HP: (F) Confidence-eating foods with lemons or garlic or pepper	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	337	56.93	56.93
INCORRECT AND MOSTLY CONFIDENT	25	4.22	61.15
INCORRECT AND A LITTLE CONFIDENT	44	7.43	68.58
INCORRECT AND NOT CONFIDENT AT ALL	20	3.38	71.96
DON'T KNOW	17	2.87	74.83
CORRECT AND NOT CONFIDENT AT ALL	6	1.01	75.84
CORRECT AND A LITTLE CONFIDENT	15	2.53	78.38

CORRECT AND MOSTLY CONFIDENT	25	4.22	82.60
CORRECT AND COMPLETELY CONFIDENT	103	17.40	100.00
Total:	592	100	

HP: (F) Has your Hh-eating foods with lemons or garlic or pepper	Frequency	Percentage (%)	Cum. (%)
NO	145	24.70	24.70
YES	442	75.30	100.00
Total:	587	100	

HP: (T) Knowledge-going to nearest clinic if symptomatic	Frequency	Percentage (%)	Cum. (%)
INCORRECT	33	5.31	5.31
CORRECT	588	94.69	100.00
Total:	621	100	

HP: (T) Confidence-going to nearest clinic if symptomatic	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	23	3.70	3.70
INCORRECT AND MOSTLY CONFIDENT	4	0.64	4.35
INCORRECT AND A LITTLE CONFIDENT	3	0.48	4.83
INCORRECT AND NOT CONFIDENT AT ALL	2	0.32	5.15
DON'T KNOW	4	0.64	5.80
CORRECT AND NOT CONFIDENT AT ALL	1	0.16	5.96
CORRECT AND A LITTLE CONFIDENT	12	1.93	7.89
CORRECT AND MOSTLY CONFIDENT	15	2.42	10.31
CORRECT AND COMPLETELY CONFIDENT	557	89.69	100.00

Total:	621	100	
---------------	------------	------------	--

HP: (T) Has your Hh-going to nearest clinic if symptomatic	Frequency	Percentage (%)	Cum. (%)
NO	46	7.44	7.44
YES	572	92.56	100.00
Total:	618	100	

HP: (F) Knowledge-drinking only treated water	Frequency	Percentage (%)	Cum. (%)
INCORRECT	450	70.09	70.09
CORRECT	192	29.91	100.00
Total:	642	100	

HP: (F) Confidence-drinking only treated water	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	390	60.84	60.84
INCORRECT AND MOSTLY CONFIDENT	22	3.43	64.27
INCORRECT AND A LITTLE CONFIDENT	22	3.43	67.71
INCORRECT AND NOT CONFIDENT AT ALL	6	0.94	68.64
DON'T KNOW	10	1.56	70.20
CORRECT AND NOT CONFIDENT AT ALL	9	1.40	71.61
CORRECT AND A LITTLE CONFIDENT	19	2.96	74.57
CORRECT AND MOSTLY CONFIDENT	9	1.40	75.98
CORRECT AND COMPLETELY CONFIDENT	154	24.02	100.00
Total:	641	100	

HP: (F) Has your Hh-drinking only treated water	Frequency	Percentage (%)	Cum. (%)

NO	107	16.88	16.88
YES	527	83.12	100.00
Total:	634	100	

HP: (F) Knowledge-sleep under mosquito net	Frequency	Percentage (%)	Cum. (%)
INCORRECT	199	36.05	36.05
CORRECT	353	63.95	100.00
Total:	552	100	

HP: (F) Confidence-sleep under mosquito net	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	148	26.81	26.81
INCORRECT AND MOSTLY CONFIDENT	19	3.44	30.25
INCORRECT AND A LITTLE CONFIDENT	17	3.08	33.33
INCORRECT AND NOT CONFIDENT AT ALL	7	1.27	34.60
DON'T KNOW	10	1.81	36.41
CORRECT AND NOT CONFIDENT AT ALL	11	1.99	38.41
CORRECT AND A LITTLE CONFIDENT	16	2.90	41.30
CORRECT AND MOSTLY CONFIDENT	19	3.44	44.75
CORRECT AND COMPLETELY CONFIDENT	305	55.25	100.00
Total:	552	100	

HP: (F) Has your Hh-sleep under mosquito net	Frequency	Percentage (%)	Cum. (%)
NO	137	25.00	25.00
YES	411	75.00	100.00
Total:	548	100	

HP: (T) Knowledge-washing and cooking food well	Frequency	Percentage (%)	Cum. (%)
INCORRECT	60	9.54	9.54
CORRECT	569	90.46	100.00
Total:	629	100	

HP: (T) Confidence-washing and cooking food well	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	38	6.04	6.04
INCORRECT AND MOSTLY CONFIDENT	10	1.59	7.63
INCORRECT AND A LITTLE CONFIDENT	6	0.95	8.59
INCORRECT AND NOT CONFIDENT AT ALL	4	0.64	9.22
DON'T KNOW	3	0.48	9.70
CORRECT AND NOT CONFIDENT AT ALL	9	1.43	11.13
CORRECT AND A LITTLE CONFIDENT	12	1.91	13.04
CORRECT AND MOSTLY CONFIDENT	547	86.96	100.00
CORRECT AND COMPLETELY CONFIDENT	629	100	

HP: (T) Has your Hh-washing and cooking food well	Frequency	Percentage (%)	Cum. (%)
NO	17	2.71	2.71
YES	611	97.29	100.00
Total:	628	100	

HP: (F) Knowledge-keeping eucalyptus or neem leaves	Frequency	Percentage (%)	Cum. (%)
INCORRECT	322	52.27	52.27
CORRECT	294	47.73	100.00
Total:	616	100	

HP: (F) Confidence-keeping eucalyptus or neem leaves	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	202	32.95	32.95
INCORRECT AND MOSTLY CONFIDENT	14	2.28	35.24
INCORRECT AND A LITTLE CONFIDENT	42	6.85	42.09
INCORRECT AND NOT CONFIDENT AT ALL	33	5.38	47.47
DON'T KNOW	32	5.22	52.69
CORRECT AND NOT CONFIDENT AT ALL	16	2.61	55.30
CORRECT AND A LITTLE CONFIDENT	25	4.08	59.38
CORRECT AND MOSTLY CONFIDENT	22	3.59	62.97
CORRECT AND COMPLETELY CONFIDENT	227	37.03	100.00
Total:	613	100	

HP: (F) Has your Hh-keeping eucalyptus or neem leaves	Frequency	Percentage (%)	Cum. (%)
NO	392	64.69	64.69
YES	214	35.31	100.00
Total:	606	100	

HP: (F) Knowledge-spraying alcohol and chlorine over body	Frequency	Percentage (%)	Cum. (%)
INCORRECT	353	60.34	60.34
CORRECT	232	39.66	100.00
Total:	585	100	

HP: (F) Confidence-spraying alcohol and chlorine over body	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	272	46.74	46.74

INCORRECT AND MOSTLY CONFIDENT	27	4.64	51.37
INCORRECT AND A LITTLE CONFIDENT	33	5.67	57.04
INCORRECT AND NOT CONFIDENT AT ALL	7	1.20	58.25
DON'T KNOW	11	1.89	60.14
CORRECT AND NOT CONFIDENT AT ALL	13	2.23	62.37
CORRECT AND A LITTLE CONFIDENT	26	4.47	66.84
CORRECT AND MOSTLY CONFIDENT	14	2.41	69.24
CORRECT AND COMPLETELY CONFIDENT	179	30.76	100.00
Total:	582	100	

HP: (F) Has your Hh-spraying alcohol and chlorine over body	Frequency	Percentage (%)	Cum. (%)
NO	303	52.70	52.70
YES	272	47.30	100.00
Total:	575	100	

HP: (T) Knowledge-avoid close contact with those with fever and cough	Frequency	Percentage (%)	Cum. (%)
INCORRECT	37	6.22	6.22
CORRECT	558	93.78	100.00
Total:	595	100	

HP: (T) Confidence-avoid close contact with those with fever and cough	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	24	4.03	4.03
INCORRECT AND MOSTLY CONFIDENT	4	0.67	4.71
INCORRECT AND A LITTLE CONFIDENT	5	0.84	5.55

INCORRECT AND NOT CONFIDENT AT ALL	3	0.50	6.05
DON'T KNOW	3	0.50	6.55
CORRECT AND NOT CONFIDENT AT ALL	2	0.34	6.89
CORRECT AND A LITTLE CONFIDENT	17	2.86	9.75
CORRECT AND MOSTLY CONFIDENT	14	2.35	12.10
CORRECT AND COMPLETELY CONFIDENT	523	87.90	100.00
Total:	595	100	

HP: (T) Has your Hh- avoid close contact with those with fever and cough	Frequency	Percentage (%)	Cum. (%)
NO	33	5.56	5.56
YES	560	94.44	100.00
Total:	593	100	

HP: (T) Knowledge- avoid taking taxi- bicycle or taxi-mota to go out	Frequency	Percentage (%)	Cum. (%)
INCORRECT	175	28.09	28.09
CORRECT	448	71.91	100.00
Total:	623	100	

HP: (T) Confidence- avoid taking taxi- bicycle or taxi-mota to go out	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	130	20.90	20.90
INCORRECT AND MOSTLY CONFIDENT	11	1.77	22.67
INCORRECT AND A LITTLE CONFIDENT	17	2.73	25.40
INCORRECT AND NOT CONFIDENT AT ALL	12	1.93	27.33
DON'T KNOW	8	1.29	28.62

CORRECT AND NOT CONFIDENT AT ALL	3	0.48	29.10
CORRECT AND A LITTLE CONFIDENT	32	5.14	34.24
CORRECT AND MOSTLY CONFIDENT	16	2.57	36.82
CORRECT AND COMPLETELY CONFIDENT	393	63.18	100.00
Total:	622	100	

HP: (T) Has your Hh-avoid taking taxi-bicycle or taxi-mota to go out	Frequency	Percentage (%)	Cum. (%)
NO	136	21.97	21.97
YES	483	78.03	100.00
Total:	619	100	

HP: (F) Knowledge-taking the COVID vaccine	Frequency	Percentage (%)	Cum. (%)
INCORRECT	97	17.05	17.05
CORRECT	472	82.95	100.00
Total:	569	100	

HP: (F) Confidence-taking the COVID vaccine	Frequency	Percentage (%)	Cum. (%)
INCORRECT AND COMPLETELY CONFIDENT	46	8.11	8.11
INCORRECT AND MOSTLY CONFIDENT	7	1.23	9.35
INCORRECT AND A LITTLE CONFIDENT	19	3.35	12.70
INCORRECT AND NOT CONFIDENT AT ALL	14	2.47	15.17
DON'T KNOW	21	3.70	18.87
CORRECT AND NOT CONFIDENT AT ALL	28	4.94	23.81
CORRECT AND A LITTLE CONFIDENT	45	7.94	31.75

CORRECT AND MOSTLY CONFIDENT	34	6.00	37.74
CORRECT AND COMPLETELY CONFIDENT	353	62.26	100.00
Total:	567	100	

HP: (F) Has your Hh-taken the COVID vaccine	Frequency	Percentage (%)	Cum. (%)
NO	460	83.48	83.48
YES	91	16.52	100.00
Total:	551	100	

Name of COVID Vaccine	Frequency	Percentage (%)	Cum. (%)
I do not know the name of the vaccine	28	96.55	96.55
the vaccine against measles and tetanus	1	3.45	100
Total:	29	100	

26. As of today, about how many people do you think have tested positive for the coronavirus disease worldwide? In Mozambique? In your province?

- Between 0 and 10
- Between 10 and 100
- Between 100 and 1,000
- Between 1,000 and a million
- Between a million and a billion
- Don't know

Cases: Worldwide	Frequency	Percentage (%)	Cum. (%)
INCORRECT	505	91.16	91.16
CORRECT	49	8.84	100.00
Total:	554	100	

Cases: Mozambique	Frequency	Percentage (%)	Cum. (%)
INCORRECT	124	39.74	39.74

CORRECT	188	60.26	100.00
Total:	312	100	

Cases: Province	Frequency	Percentage (%)	Cum. (%)
INCORRECT	377	68.05	68.05
CORRECT	177	31.95	100.00
Total:	554	100	

27. As of today, about how many people do you think have died of the coronavirus disease worldwide?
In Mozambique? In your province?

- Between 0 and 10
- Between 10 and 100
- Between 100 and 1,000
- Between 1,000 and a million
- Between a million and a billion
- Don't know

Deaths: Worldwide	Frequency	Percentage (%)	Cum. (%)
INCORRECT	507	91.52	91.52
CORRECT	47	8.48	100.00
Total:	554	100	

Deaths: Mozambique	Frequency	Percentage (%)	Cum. (%)
INCORRECT	395	71.30	71.30
CORRECT	159	28.70	100.00
Total:	554	100	

Deaths: Province	Frequency	Percentage (%)	Cum. (%)
INCORRECT	293	52.89	52.89
CORRECT	261	47.11	100.00
Total:	554	100	

GOVERNMENT POLICY: I want to ask you now about government policy related to coronavirus. Your answers are confidential. I am going to list possible actions. For each I action, I will ask 2 questions:

28. To the best of your knowledge, has the government of Mozambique taken this action already to address coronavirus?

1	T	Order a 14 day home quarantine for all persons who have had direct contact with confirmed cases of COVID-19
2	F	Close all airports
3	T	Suspend religious services and celebrations
4	T	Prohibit eviction of tenants in rental contracts
5	T	Stop issuing entry visa to foreign travelers
6	F	Banning personal travel between provinces
7	T	Require face coverings at funeral ceremonies
8	F	Suspend police enforcement
9	F	Prohibit use of minibuses for public transportation
10	F	Order households to “stay in place” except for only necessary trips
11	T	Ask household to not visit patients infected by COVID-19 at hospitals
12	F	Close government offices not related to health
13	F	Order all citizens to wear face coverings when going out of their homes
14	T	Ban gathering of 20 or more people
15	F	Ask households to stay indoors for three weeks ⁵
16	T	Close gymnasiums, play fields and other sports activities in public spaces
17	F	Prohibit funerals for those with coronavirus or COVID-19
18	T	Declare a State of Emergency
19	T	Close bars and nightclubs
20	T	Suspend all public and private schools

Govt: (T) mandated 14 day quarantine	Frequency	Percentage (%)	Cum. (%)
INCORRECT	80	10.85	10.85
CORRECT	657	89.15	100.00
Total:	737	100	

Govt: (F) closed all airports	Frequency	Percentage (%)	Cum. (%)
INCORRECT	528	73.64	73.64
CORRECT	189	26.36	100.00
Total:	717	100	

Govt: (T) suspended religious services	Frequency	Percentage (%)	Cum. (%)
INCORRECT	29	4.01	4.01
CORRECT	695	95.99	100.00
Total:	724	100	

Govt: (T) prohibited eviction of tenants	Frequency	Percentage (%)	Cum. (%)
INCORRECT	456	61.46	61.46
CORRECT	286	38.54	100.00
Total:	742	100	

Govt: (T) stopped issuing foreign entry visas	Frequency	Percentage (%)	Cum. (%)
INCORRECT	135	19.15	19.15
CORRECT	570	80.85	100.00
Total:	705	100	

Govt: (F) banned personal travel between provinces	Frequency	Percentage (%)	Cum. (%)
INCORRECT	353	47.77	47.77
CORRECT	386	52.23	100.00
Total:	739	100	

Govt: (T) required masks at funerals	Frequency	Percentage (%)	Cum. (%)
INCORRECT	33	4.55	4.55
CORRECT	692	95.45	100.00
Total:	725	100	

Govt: (F) suspended law enforcement	Frequency	Percentage (%)	Cum. (%)
INCORRECT	241	32.18	32.18
CORRECT	508	67.82	100.00
Total:	749	100	

Govt: (F) prohibited use of minibuses	Frequency	Percentage (%)	Cum. (%)

INCORRECT	277	39.40	39.40
CORRECT	426	60.60	100.00
Total:	703	100	

Govt: (F) ordered HH to stay in place	Frequency	Percentage (%)	Cum. (%)
INCORRECT	658	94.95	94.95
CORRECT	35	5.05	100.00
Total:	693	100	

Govt: (T) asked HH to avoid patient visits in COVID hospitals	Frequency	Percentage (%)	Cum. (%)
INCORRECT	129	17.02	17.02
CORRECT	629	82.98	100.00
Total:	758	100	

Govt: (F) closed non-health govt. offices	Frequency	Percentage (%)	Cum. (%)
INCORRECT	412	58.36	58.36
CORRECT	294	41.64	100.00
Total:	706	100	

Govt: (T) mandated masks	Frequency	Percentage (%)	Cum. (%)
INCORRECT	30	4.14	4.14
CORRECT	695	95.86	100.00
Total:	725	100	

Govt: (T) banned gatherings of 20 or more	Frequency	Percentage (%)	Cum. (%)
INCORRECT	51	6.75	6.75
CORRECT	704	93.25	100.00
Total:	755	100	

Govt: (F) asked HH to stay indoors for 3 weeks	Frequency	Percentage (%)	Cum. (%)
INCORRECT	641	84.01	84.01
CORRECT	122	15.99	100.00
Total:	763	100	

Govt: (T) closed gyms/public sports places	Frequency	Percentage (%)	Cum. (%)
INCORRECT	35	5.06	5.06
CORRECT	657	94.94	100.00
Total:	692	100	

Govt: (F) prohibited funerals for COVID patients	Frequency	Percentage (%)	Cum. (%)
INCORRECT	472	66.01	66.01
CORRECT	243	33.99	100.00
Total:	715	100	

Govt: (T) declared state of emergency	Frequency	Percentage (%)	Cum. (%)
INCORRECT	46	6.30	6.30
CORRECT	684	93.70	100.00
Total:	730	100	

Govt: (T) closed all bars/nightclubs	Frequency	Percentage (%)	Cum. (%)
INCORRECT	26	3.70	3.70
CORRECT	677	96.30	100.00
Total:	703	100	

Govt: (T) suspended all schools	Frequency	Percentage (%)	Cum. (%)
INCORRECT	12	1.69	1.69
CORRECT	697	98.31	100.00
Total:	709	100	

29. What do you think would be the answer to the following questions:

29.1. Do you think you or someone in your household will get sick from coronavirus?

29.2. For every 10 people in your community, how many do you think would get sick from coronavirus?

Think you or HH will get sick: generally	Frequency	Percentage (%)	Cum. (%)
NO	299	60.65	60.65
YES	194	39.35	100.00

Total:	493	100	
---------------	------------	------------	--

10ppl in community, how many will get sick: generally	Frequency	Percentage (%)	Cum. (%)
0	188	39.00	39.00
1	29	6.02	45.02
2	26	5.39	50.41
3	23	4.77	55.19
4	33	6.85	62.03
5	51	10.58	72.61
6	14	2.90	75.52
7	8	1.66	77.18
8	23	4.77	81.95
9	2	0.41	82.37
10	85	17.63	100.00
Total:	482	100	

30. Imagine that the government of Mozambique asked people to not leave their homes for three weeks, and no one obeyed or made any changes to their behavior. Then what do you think would be the answer to the following questions:

30.1. Do you think you or someone in your household will get sick from coronavirus?

Think you or HH will get sick if no one obeys stay-at-home order	Frequency	Percentage (%)	Cum. (%)
NO	159	26.46	26.46
YES	442	73.54	100.00
Total:	601	100	

10ppl in community, how many will get sick if no one obeys stay- at-home order	Frequency	Percentage (%)	Cum. (%)
0	68	12.06	12.06
1	15	2.66	14.72
2	17	3.01	17.73
3	19	3.37	21.10
4	19	3.37	24.47
5	38	6.74	31.21
6	22	3.90	35.11
7	23	4.08	39.18
8	47	8.33	47.52

9	24	4.26	51.77
10	272	48.23	100.00
Total:	564	100	

31. Imagine that the government of Mozambique asked people to not leave their homes for three weeks, and everyone obeyed. Then what do you think would be the answer to the following questions:

31.1. Do you think you or someone in your household will get sick from coronavirus?

31.2. For every 10 people in your community, how many do you think would get sick from coronavirus?

Think you or HH will get sick if everyone obeys stay-at-home order	Frequency	Percentage (%)	Cum. (%)
NO	508	83.42	83.42
YES	101	16.58	100.00
Total:	609	100	

10ppl in community, how many will get sick if everyone obeys stay-at-home order	Frequency	Percentage (%)	Cum. (%)
0	345	59.79	59.79
1	55	9.53	69.32
2	32	5.55	74.87
3	14	2.43	77.30
4	10	1.73	79.03
5	27	4.68	83.71
6	9	1.56	85.27
7	6	1.04	86.31
8	12	2.08	88.39
9	5	0.87	89.25
10	62	10.75	100.00
Total:	577	100	

Household Questions:

5. If the government of Mozambique asked you to not leave your home for three weeks, would you be able to do it? Please answer honestly. Answers are confidential.

Could you obey stay-at-home order	Frequency	Percentage (%)	Cum. (%)
-----------------------------------	-----------	----------------	----------

NO	724	30.36	30.36
YES	1661	69.64	100.00
Total:	2385	100	

6. Is anyone in your household older than 60 years old?

Dummy: Anyone in Hh Age 60+	Frequency	Percentage (%)	Cum. (%)
NO	1564	65.36	65.36
YES	829	34.64	100.00
Total:	2393	100	

7. LS04: In a typical week in February 2020, what was your total weekly income? __ Mts (0, 0-1000, 1000-2000, 2000-3000, 3000-5000, More than 5000, don't know, refuse to answer)

Hh income Feb 2020: specific if given or imputed from range	Frequency	Percentage (%)	Cum. (%)
0	507	26.87	26.87
3	1	0.05	26.92
20	3	0.16	27.08
30	3	0.16	27.24
50	18	0.95	28.19
70	2	0.11	28.30
80	3	0.16	28.46
100	49	2.60	31.05
120	3	0.16	31.21
125	2	0.11	31.32
140	1	0.05	31.37
150	11	0.58	31.96
160	1	0.05	32.01
165	1	0.05	32.06
170	1	0.05	32.11
175	1	0.05	32.17
180	1	0.05	32.22
200	83	4.40	36.62
208	1	0.05	36.67
225	2	0.11	36.78
250	20	1.06	37.84
255	1	0.05	37.89
280	1	0.05	37.94
300	59	3.13	41.07
320	1	0.05	41.12
350	4	0.21	41.34
400	21	1.11	42.45

420	1	0.05	42.50
450	5	0.26	42.77
500	200	10.60	53.37
520	1	0.05	53.42
525	1	0.05	53.47
540	1	0.05	53.52
550	2	0.11	53.63
600	30	1.59	55.22
625	2	0.11	55.33
650	1	0.05	55.38
655	1	0.05	55.43
700	28	1.48	56.92
750	9	0.48	57.39
785	1	0.05	57.45
800	18	0.95	58.40
820	1	0.05	58.45
850	3	0.16	58.61
900	8	0.42	59.04
950	1	0.05	59.09
1000	131	6.94	66.03
1100	1	0.05	66.08
1200	9	0.48	66.56
1250	2	0.11	66.67
1300	1	0.05	66.72
1400	1	0.05	66.77
1450	1	0.05	66.83
1500	107	5.67	72.50
1560	1	0.05	72.55
1570	1	0.05	72.60
1575	1	0.05	72.66
1700	3	0.16	72.81
1750	2	0.11	72.92
1800	8	0.42	73.34
2000	117	6.20	79.54
2200	1	0.05	79.60
2300	4	0.21	79.81
2400	3	0.16	79.97
2425	1	0.05	80.02
2450	1	0.05	80.07
2500	53	2.81	82.88
2600	2	0.11	82.99
2700	1	0.05	83.04
2750	1	0.05	83.09
2800	1	0.05	83.15
2875	1	0.05	83.20

3000	49	2.60	85.80
3250	1	0.05	85.85
3400	1	0.05	85.90
3500	16	0.85	86.75
3700	1	0.05	86.80
3750	1	0.05	86.86
4000	49	2.60	89.45
4500	6	0.32	89.77
4750	1	0.05	89.83
4800	1	0.05	89.88
4900	1	0.05	89.93
5000	62	3.29	93.22
5200	1	0.05	93.27
5780	1	0.05	93.32
5800	1	0.05	93.38
6000	8	0.42	93.80
6500	2	0.11	93.91
7000	18	0.95	94.86
7500	1	0.05	94.91
7600	1	0.05	94.97
8000	7	0.37	95.34
9000	2	0.11	95.44
10000	52	2.76	98.20
12000	1	0.05	98.25
12500	1	0.05	98.30
13000	1	0.05	98.36
14000	1	0.05	98.41
15000	11	0.58	98.99
20000	6	0.32	99.31
20250	1	0.05	99.36
25000	3	0.16	99.52
29000	1	0.05	99.58
30000	2	0.11	99.68
32000	1	0.05	99.74
35000	1	0.05	99.79
50000	1	0.05	99.84
50025	1	0.05	99.89
70000	1	0.05	99.95
70200	1	0.05	100.00
Total:	1887	100	

Average Income: February 2020	Frequency	Percentage (%)	Cum. (%)
0	391	21.89	21.89

500	755	42.27	64.17
1500	246	13.77	77.94
2500	127	7.11	85.05
4000	127	7.11	92.16
10000	140	7.84	100.00
Total:	1786	100	

8. LS05: Last week, what was your total weekly income? (0, 0-1000, 1000-2000, 2000-3000, 3000-5000, More than 5000, don't know, refuse to answer)

Hh income last week: specific if given or imputed from range	Frequency	Percentage (%)	Cum. (%)
0	564	26.32	26.32
5	2	0.09	26.41
10	1	0.05	26.46
20	4	0.19	26.64
25	1	0.05	26.69
30	3	0.14	26.83
40	1	0.05	26.88
50	34	1.59	28.46
51	1	0.05	28.51
60	6	0.28	28.79
70	6	0.28	29.07
75	3	0.14	29.21
80	3	0.14	29.35
90	1	0.05	29.40
100	82	3.83	33.22
110	1	0.05	33.27
120	3	0.14	33.41
125	2	0.09	33.50
140	3	0.14	33.64
150	29	1.35	35.00
160	1	0.05	35.04
180	1	0.05	35.09
200	126	5.88	40.97
225	1	0.05	41.02
230	4	0.19	41.20
240	1	0.05	41.25
250	30	1.40	42.65
270	3	0.14	42.79
300	102	4.76	47.55
350	19	0.89	48.44
370	2	0.09	48.53
380	1	0.05	48.58
390	1	0.05	48.62

400	41	1.91	50.54
420	1	0.05	50.58
450	5	0.23	50.82
480	1	0.05	50.86
500	292	13.63	64.49
520	1	0.05	64.54
550	2	0.09	64.63
560	2	0.09	64.72
567	1	0.05	64.77
600	34	1.59	66.36
625	1	0.05	66.40
650	2	0.09	66.50
680	1	0.05	66.54
700	45	2.10	68.64
750	13	0.61	69.25
760	1	0.05	69.30
770	1	0.05	69.34
780	1	0.05	69.39
800	32	1.49	70.88
850	4	0.19	71.07
900	12	0.56	71.63
1000	113	5.27	76.90
1080	1	0.05	76.95
1100	4	0.19	77.13
1180	1	0.05	77.18
1200	17	0.79	77.97
1250	3	0.14	78.11
1300	5	0.23	78.35
1350	1	0.05	78.39
1400	4	0.19	78.58
1420	1	0.05	78.63
1500	102	4.76	83.39
1570	1	0.05	83.43
1600	1	0.05	83.48
1700	1	0.05	83.53
1720	1	0.05	83.57
1750	3	0.14	83.71
1800	8	0.37	84.09
1900	1	0.05	84.13
2000	78	3.64	87.77
2200	2	0.09	87.87
2250	1	0.05	87.91
2300	5	0.23	88.15
2400	2	0.09	88.24
2425	1	0.05	88.29

2500	53	2.47	90.76
2600	1	0.05	90.81
2700	4	0.19	90.99
2750	1	0.05	91.04
2800	3	0.14	91.18
2900	1	0.05	91.23
3000	32	1.49	92.72
3500	6	0.28	93.00
3600	1	0.05	93.05
3675	1	0.05	93.09
3750	1	0.05	93.14
3800	3	0.14	93.28
4000	34	1.59	94.87
4500	1	0.05	94.91
4600	1	0.05	94.96
4750	1	0.05	95.01
5000	30	1.40	96.41
5500	1	0.05	96.45
5950	1	0.05	96.50
6000	14	0.65	97.15
6330	1	0.05	97.20
6500	1	0.05	97.25
7000	6	0.28	97.53
7500	2	0.09	97.62
8000	7	0.33	97.95
8250	1	0.05	97.99
9000	3	0.14	98.13
10000	27	1.26	99.39
10200	1	0.05	99.44
12000	1	0.05	99.49
13000	2	0.09	99.58
15000	2	0.09	99.67
25000	1	0.05	99.72
30000	1	0.05	99.77
32000	1	0.05	99.81
42000	1	0.05	99.86
50000	2	0.09	99.95
70200	1	0.05	100.00
Total:	2143	100	

Average Income: Last week	Frequency	Percentage (%)	Cum. (%)
0	460	22.21	22.21
500	1132	54.66	76.87

1500	220	10.62	87.49
2500	96	4.64	92.13
4000	75	3.62	95.75
10000	88	4.25	100.00
Total:	2071	100	

9. To the best of your knowledge, have children under 18 years from your household played with children from other households in the last 14 days? (YES, NO, NO CHILDREN IN HOUSEHOLD).

Children: Play with other children in last 14 days?	Frequency	Percentage (%)	Cum. (%)
NO	1034	43.65	43.65
YES	1335	56.35	100.00
Total:	2369	100	

Food Security Questions:

Now I want to ask you what your household's food situation in the last 7 days (may vary between 7 and 30 days depending on timing of repeated surveys).

3. In the past 7 days, was there a lack of food in your household due to a lack of resources to purchase food? (Yes No)
 3.1. IF YES, how many days did your household lack food in the last 7 days?

Dummy food insecure: max of food insecurity	Frequency	Percentage (%)	Cum. (%)
NO	419	17.35	17.35
YES	1996	82.65	100.00
Total:	2415	100	

Index food insecure: sum of food insecurity	Frequency	Percentage (%)	Cum. (%)
0	419	17.35	17.35
1	357	14.78	32.13
2	409	16.94	49.07
3	515	21.33	70.39
4	462	19.13	89.52
5	253	10.48	100.00
Total:	2415	100	

Dummy unable to buy usual amount of food: max of food insecurity	Frequency	Percentage (%)	Cum. (%)

NO	666	27.60	27.60
YES	1747	72.40	100.00
Total:	2413	100	

Index unable to buy usual amount of food: sum of food insecurity	Frequency	Percentage (%)	Cum. (%)
0	668	27.66	27.66
1	562	23.27	50.93
2	748	30.97	81.90
3	437	18.10	100.00
Total:	2415	100	

Lack of Food: last 7 days	Frequency	Percentage (%)	Cum. (%)
NO	1299	53.83	53.83
YES	1114	46.17	100.00
Total:	2413	100	

Lack of Food: How many days	Frequency	Percentage (%)	Cum. (%)
0	1365	57.16	57.16
1	247	10.34	67.50
2	367	15.37	82.87
3	260	10.89	93.76
4	73	3.06	96.82
5	30	1.26	98.07
6	4	0.17	98.24
7	42	1.76	100.00
Total:	2388	100	

4. In the past 7 days, have you or any household member experienced any of the following cases?
[Select all that apply]
- 4.1. Difficulties in going to food markets due to mobility restrictions imposed by government
 - 4.2. Difficulties in buying food due to most food markets being closed
 - 4.3. Unable to buy the amount of food we usually buy because of shortages in markets
 - 4.4. Unable to buy the amount of food we usually buy because the price of food was too high
 - 4.5. Unable to buy the amount of food we usually buy because our household income has dropped
 - 4.6. Had to reduce the number of meals and/or the portion of each meal we would usually eat

Experience: Difficulties going to food markets	Frequency	Percentage (%)	Cum. (%)
NO	1715	71.37	71.37

YES	688	28.63	100.00
Total:	2403	100	

Experience: Difficulties buying food	Frequency	Percentage (%)	Cum. (%)
NO	1783	73.89	73.89
YES	630	26.11	100.00
Total:	2413	100	

Experience: Unable to buy usual amount of food- Market Shortages	Frequency	Percentage (%)	Cum. (%)
NO	1734	72.04	72.04
YES	673	27.96	100.00
Total:	2407	100	

Experience: Unable to buy usual amount of food- High Price	Frequency	Percentage (%)	Cum. (%)
NO	1054	43.72	43.72
YES	1357	56.28	100.00
Total:	2411	100	

Experience: Unable to buy usual amount of food- Drop in income	Frequency	Percentage (%)	Cum. (%)
NO	1063	44.25	44.25
YES	1339	55.75	100.00
Total:	2402	100	

Experience: Reduce number of meals/portions	Frequency	Percentage (%)	Cum. (%)
NO	1063	44.05	44.05
YES	1350	55.95	100.00
Total:	2413	100	

Validated Altruism:

For your participation in today's survey, we would like to give you 100 Meticaís. In the next section, I will describe a charitable cause. If you choose, you can also donate some of your 100 Meticaís to a charitable cause.

We are conducting about 3,000 phone surveys from households in Sofala, Manica and Zambezia provinces. From past surveys, we know which households are the poorest households. You may or may not be one of these households. We know that poor households may be more affected by coronavirus because they have less income to pay for medical expenses and smaller supplies of food. Therefore, we want to give the poorest households additional money to help cope with the coronavirus crisis.

If you choose, you can donate some of your 100 Meticaís to a poor household. The donations we collect will go to the poorest households first. You can choose to give your money at the national level or community level. If you give at the national level, your money will help the poorest survey households from Sofala, Manica and Zambezia. If you give at the community level, your money will help the poorest survey households in your community—maybe even one of your neighbors—which may or may not be one of the poorest household at the national level. Either way, your donation will be anonymous—no one will know whether you give at the national or community level or how much money you give, even if that amount is zero.

5. You received 100 Meticaís today. Would you like to donate some of this money to a poor household at high risk of being affected by coronavirus?

Donation Yes/No: Total	Frequency	Percentage (%)	Cum. (%)
NO	1434	59.38	59.38
YES	981	40.62	100.00
Total:	2415	100	

6. IF YES, how much money would you like to donate at the national level? __ Mts

Donation Amount: National	Frequency	Percentage (%)	Cum. (%)
0	1687	69.86	69.86
5	21	0.87	70.72
6	1	0.04	70.77
10	123	5.09	75.86
12	2	0.08	75.94
15	38	1.57	77.52
20	79	3.27	80.79
25	206	8.53	89.32
30	36	1.49	90.81
35	5	0.21	91.01
40	16	0.66	91.68
45	1	0.04	91.72

50	175	7.25	98.96
60	6	0.25	99.21
70	6	0.25	99.46
80	4	0.17	99.63
100	9	0.37	100.00
Total:	2415	100	

7. IF YES, how much money would you like to donate at the community level? __Mts

Donation Amount: Community	Frequency	Percentage (%)	Cum. (%)
0	1525	63.15	63.15
5	31	1.28	64.43
7	1	0.04	64.47
10	120	4.97	69.44
13	2	0.08	69.52
15	41	1.70	71.22
20	122	5.05	76.27
25	214	8.86	85.13
30	73	3.02	88.16
35	6	0.25	88.41
40	23	0.95	89.36
50	224	9.28	98.63
60	3	0.12	98.76
70	3	0.12	98.88
80	4	0.17	99.05
90	1	0.04	99.09
100	22	0.91	100.00
Total:	2415	100	

8. Confirm: If you donate A at the national level and B at the community level, then you will receive (100-A-B) for your participation today instead of 100Mts. Is that what you wanted? IF NO, repeat questions 2 & 3.

COVID Screening Questions: I am now going to ask you some questions used to see if people exhibit some of the coronavirus disease symptoms. Please answer to the best of your ability. Answers are confidential.

10. Have you or anyone in your household tested positive for coronavirus in the last 14 days (two weeks)?

Screening: Tested Positive	Frequency	Percentage (%)	Cum. (%)
---------------------------------------	------------------	-----------------------	-----------------

NO	2390	99.33	99.33
YES	16	0.67	100.00
Total:	2406	100	

11. Have you or anyone in your household been in contact with anyone who has tested positive for coronavirus?

Screening: Been in Contact with Someone Positive	Frequency	Percentage (%)	Cum. (%)
NO	2340	99.15	99.15
YES	20	0.85	100.00
Total:	2360	100	

12. Have you or anyone in your household had fever, cough or shortness of breath in last 14 days (two weeks)?

Screening: Fever, Cough or Shortness	Frequency	Percentage (%)	Cum. (%)
NO	2072	85.83	85.83
YES	342	14.17	100.00
Total:	2414	100	

13. In the last day, has you or anyone in your household have the following conditions:

- 13.1. fever (38° degrees celsius or greater)?
- 13.2. new or worsening cough or shortness of breath?
- 13.3. new or worsening sore throat?
- 13.4. new or worsening diarrhea?
- 13.5. new or worsening headache
- 13.6. new or worsening muscle pain
- 13.7. loss of sense of smell or taste

Screening in HH: Fever	Frequency	Percentage (%)	Cum. (%)
NO	2248	93.32	93.32
YES	161	6.68	100.00
Total:	2409	100	

Screening in HH: New or Worsening Cough or Shortness	Frequency	Percentage (%)	Cum. (%)
NO	2248	93.12	93.12
YES	166	6.88	100.00
Total:	2414	100	

Screening in HH: New or Worsening Sore Throat	Frequency	Percentage (%)	Cum. (%)
NO	2358	97.76	97.76
YES	54	2.24	100.00
Total:	2412	100	

Screening in HH: New or Worsening Diarrhea	Frequency	Percentage (%)	Cum. (%)
NO	2348	97.35	97.35
YES	64	2.65	100.00
Total:	2412	100	

Screening in HH: New or Worsening Headache	Frequency	Percentage (%)	Cum. (%)
NO	2113	87.64	87.64
YES	298	12.36	100.00
Total:	2411	100	

Screening in HH: New or Worsening Muscle Pain	Frequency	Percentage (%)	Cum. (%)
NO	2307	95.65	95.65
YES	105	4.35	100.00
Total:	2412	100	

Screening in HH: New Loss of Taste or Smell	Frequency	Percentage (%)	Cum. (%)
NO	2357	97.76	97.76
YES	54	2.24	100.00
Total:	2411	100	